

THE FERN GAZETTE

INDEX

VOLUME 16

THE FERN GAZETTE is a journal of the British Pteridological Society and contains peer-reviewed papers on all aspects of pteridology.

Manuscripts may be submitted, and books etc. sent for review, to: Prof. M. Gibby,
Royal Botanic Garden Edinburgh, 20A Inverleith Row, Edinburgh, EH3 5LR, UK
Telephone: 0131-248-2973 E-mail: FernGazette@eBPS.org.uk

Copyright © 2011 British Pteridological Society. All rights reserved. No part of this publication may be reproduced in any material form (including photocopying or storing it in any medium by electronic means) without the permission of the British Pteridological Society.

The Parts of the Fern Gazette Volume 16 were published on the following dates and comprised the following pages:

| | Date of Publication | Pages |
|---------------|---------------------|---------|
| Part 1 & 2 | 20 July 2000 | 1-124 |
| Part 3 | 5 December 2000 | 125-168 |
| Part 4 | 25 March 2001 | 169-204 |
| Part 5 | 15 August 2002 | 205-252 |
| Part 6, 7 & 8 | 2 April 2003 | 253-481 |

Published by THE BRITISH PTERIDOLOGICAL SOCIETY
c/o Department of Botany,
The Natural History Museum, Cromwell Road, London SW7 5BD, UK

Printed by Bishops Printers Limited
Walton Road, Farlington, Portsmouth, PO6 1TR, UK
www.bishops.co.uk

Compiled by Paul Ripley

SUBJECT INDEX

Much of this index covers, as the inherent nature of the journal, descriptions of ferns, their distribution, habitats and the location of herbarium specimens. To avoid repetition, basic structures of ferns (rhizome, pinna, rachis etc.) are not indexed. Similarly countries are indexed for geographical distribution of species but not for the location of type-specimens.

All names including synonyms and obsolete names are included. The current name will be obvious by reference to the indexed text.




| | | |
|-------------------------------|--|---|
| | | 177, 181, 182, 209, 250, 296, 363 |
| Abildgaardia | 8 | <i>aneitense</i> 235 |
| <i>Acacia mearnsii</i> | 315 | <i>bessoniae</i> 52 |
| <i>Acer pseudoplatanus</i> | 247 | <i>capillus-veneris</i> 219, 357 |
| acetic acid | 177 | <i>concinnum</i> 48 |
| acetocarmine | 177 | <i>cuneatum</i> 51, 181 |
| acetolysis | 150, 162, 163, 164 | <i>farleyense</i> 53 |
| <i>Acrostichum alatum</i> | 92 | <i>fructuosum</i> 149 |
| <i>alienum</i> | 89 | <i>giganteum</i> 209, 210, 211, 212 |
| <i>aureum</i> | 47, 305, 435 | <i>hispidulum</i> 220, 406 |
| <i>auriculatum</i> | 139 | <i>humile</i> 48 |
| <i>calomelanos</i> | 56, 132 | <i>killipii</i> 48 |
| <i>chrysophyllum</i> | 57 | <i>lanceum</i> 63 |
| <i>citrifolium</i> | 59 | <i>latifolium</i> 48, 54 |
| <i>crinitum</i> | 91 | <i>lucidum</i> 49, 52 |
| <i>cruegerianum</i> | 92 | <i>lunulatum</i> 178, 180 |
| <i>danaeifolium</i> | 47 | <i>macrophyllum</i> 49 |
| <i>elegans</i> | 29 | <i>mendoncae</i> 314 |
| <i>fendleri</i> | 70 | <i>obliquum</i> 50 |
| <i>gaboonensis</i> | 139 | <i>paradisiae</i> 50 |
| <i>hartii</i> | 86 | <i>petiolatum</i> 50, 54 |
| <i>herminieri</i> | 91 | <i>philippense</i> 180 |
| <i>japurense</i> | 93 | <i>polyphyllum</i> 51 |
| <i>luridum</i> | 92 | <i>pubescens</i> 377 |
| <i>nodosum</i> | 25 | <i>pulverulentum</i> 51 |
| <i>palustre</i> | 139 | <i>raddianum</i> 51, 177, 178, 180, 181, 183, 187, 220 |
| <i>polypodioides</i> | 114 | <i>radiatum</i> 48 |
| <i>portoricense</i> | 90 | <i>reniforme</i> 316 |
| <i>punctatum</i> | 135 | <i>serratodentatum</i> 52, 149, 154, 212 |
| <i>reptans</i> | 108 | <i>strictum</i> 65 |
| <i>salicinus</i> | 140 | <i>tenerum</i> 52, 53, 364 |
| <i>schomburgkii</i> | 92 | <i>tenerum</i> var. <i>farleyense</i> 53 |
| <i>serrulatum</i> | 117 | <i>tenerum</i> var. <i>tenerum</i> 53 |
| <i>stemarium</i> | 134 | <i>terminatum</i> 53 |
| <i>thalictroides</i> | 56 | <i>tetraphyllum</i> 53 |
| <i>Actiniopteris dimorpha</i> | 315 | <i>trapeziforme</i> 54, 364 |
| <i>Actinostachys germanii</i> | 26 | <i>triangulatum</i> 48 |
| <i>pennula</i> | 26 | <i>villosum</i> 52, 55 |
| Action Plan | 267, 275, 281, 283, 288, 317, 341, 350, 417, 421, 442, 466 | <i>vogelii</i> 133 |
| Adams, C. Dennis | 1, 2, 4, 6, 7, 9, 12, 13, 14, 213 | × <i>spurium</i> 52 |
| <i>Adenophorus perieni</i> | 274 | × <i>variopinnatum</i> 54 |
| Adiantaceae | 132, 218 | × <i>villosolucidum</i> 52 |
| <i>Adiantopsis</i> | 296 | aestivation 207 |
| <i>radiata</i> | 48 | Africa 2, 5, 24, 34, 50, 67, 68, 72, 84, 88, 98, 102, 112, 117, 118, 125, 130, 132, 133, 137, 139, 141, 217, 218, 219, 220, 221, 224, |
| <i>Adiantum</i> | 13, 48, 54, 133, 149, | |

| | | | |
|---------------------------------------|---|-----------------------------|---|
| | 225, 226, 227, 229, 231, 232, 272, 313, 421 | Antigua | 107, 301 |
| <i>Afropteris repens</i> | 132 | Antilles | 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 85, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 100, 101, 102, 103, 104, 105, 106, 108, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119 |
| agamosporous | 100 | <i>Antrophyum cajenense</i> | 60 |
| agriculture; agricultural activities | 19, 234, 269, 271, 274 | <i>dussianum</i> | 60 |
| <i>Aleuritopteris</i> | 321 | <i>feeii</i> | 60 |
| alien species | 269, 302, 411, 450, 470 (see also invasive; neophyte(s); introduced) | <i>guayanense</i> | 60 |
| <i>Alisma gramineum</i> | 437 | <i>lanceolatum</i> | 60 |
| allopolyploid | 250 | <i>mannianum</i> | 316 |
| allozyme | 411, 420, 438 | Appalachian | 273 |
| allozymic analysis | 206 | <i>Aphylocarpa regalis</i> | 218 |
| <i>Alnus</i> | 216 | apogamy | 177, 178, 179, 180, 181, 187 |
| <i>Alsophila abbottii</i> | 274 | <i>Arachniodes aristata</i> | 405, 406 |
| <i>amintae</i> | 394 | <i>mutica</i> | 320 |
| <i>camerooniana</i> | 135 | <i>Araucaria</i> | 296, 297, 397 |
| <i>capensis</i> | 298 | <i>Archangiopteris itoi</i> | 335 |
| <i>cooperi</i> | 222 | <i>somai</i> | 335 |
| <i>eatonii</i> | 45 | Argentina | 58, 110, 444, 454 |
| <i>firma</i> | 439 | ascending rhizome | 184 |
| <i>imrayana</i> var. <i>imrayana</i> | 43 | <i>Ascolepis</i> | 8 |
| <i>imrayana</i> var. <i>subnudata</i> | 60 | Asia | 24, 34, 56, 58, 59, 67, 68, 72, 84, 88, 95, 112, 130 |
| <i>manniana</i> | 135 | <i>Aspidium aculeatum</i> | 229 |
| <i>nigra</i> | 43 | <i>arbusculum</i> | 130, 138 |
| <i>polystichoides</i> | 394 | <i>articulatum</i> | 96 |
| <i>sagittifolia</i> | 46 | <i>biserratum</i> | 94, 136 |
| <i>setosa</i> | 296 | <i>buchholzii</i> | 140 |
| <i>spinulosa</i> | 394 | <i>currori</i> | 141 |
| <i>tenera</i> | 46 | <i>funestum</i> | 83 |
| Alston, A.H.G. | 12 | <i>guanense</i> | 83 |
| altitudinal range | 15, 181, 215, 234 | <i>heracleifolium</i> | 79 |
| <i>Amauropelta oligocarpa</i> | 71 | <i>hispidulum</i> | 69 |
| <i>opposita</i> | 71 | <i>magnificum</i> | 130 |
| Amazonia | 209 | <i>meniscioides</i> | 84 |
| America | 432, 448 (see also South America; North America) | <i>nephrodioides</i> | 70 |
| <i>Amphineuron opulentum</i> | 71 | <i>opulentum</i> | 71 |
| <i>Ananthacorus angustifolius</i> | 61 | <i>paucijugum</i> | 73 |
| Anchovy Pear | 9 | <i>protensum</i> | 140 |
| Andean region | 274, 421 | <i>psammiosorum</i> | 81 |
| <i>Anemia cipoensis</i> | 298 | <i>purdiaei</i> | 81, 82 |
| <i>flexuosa</i> | 149, 154, 155 | <i>rostratum</i> | 42 |
| <i>glareosa</i> | 298 | <i>rotundatum</i> | 86 |
| <i>hirsuta</i> | 27 | <i>striatum</i> | 138 |
| <i>pastinacaria</i> | 27 | | |
| <i>phyllitidis</i> | 27 | | |
| <i>raddiana</i> | 149, 154, 155 | | |
| <i>Anetium citrifolium</i> | 59 | | |
| aneuploidy | 181 | | |
| <i>Angiopteris chauliodonta</i> | 406 | | |
| <i>lygodiifolia</i> | 357 | | |
| angiosperms | 288 | | |
| Angola | 131, 132, 137, 138, 139, 313, 314 | | |
| animal health | 200 | | |
| <i>Anisogonium esculentum</i> | 185 | | |
| <i>Anogramma leptophylla</i> | 219, 357 | | |
| anthropogenic | 321 | | |


| | | | |
|--|---|---|---------------------------------|
| <i>truncatulum</i> | 84 | <i>laetum</i> | 99, 100 |
| <i>undulatum</i> | 136 | <i>lanceolatum</i> | 226 |
| <i>vogelii</i> | 141 | <i>laurentii</i> | 137 |
| <i>Aspidotis schimperi</i> | 315 | <i>lividum</i> | 191 |
| Aspleniaceae | 16, 96, 137, 224,-281, 296, 363, 400, 441 | <i>lobatum</i> var. <i>pseudoabyssinicum</i> | 314 |
| <i>Asplenium</i> | 8, 150, 156, 293, 296, 321, 363, 400, 455, 464 | <i>macilentum</i> | 100 |
| <i>abscissum</i> | 96 | <i>majoricum</i> | 438 |
| <i>actiniopteroides</i> | 432 | <i>majus</i> | 432 |
| <i>acutiserratum</i> | 97 | <i>marginatum</i> | 89 |
| <i>adiantum-nigrum</i> | 224, 225, 227,-357, 452 | <i>marinum</i> | 225, 357, 452 |
| <i>aethiopicum</i> | 432, 452 | <i>mildbraedii</i> | 432 |
| <i>africanum</i> | 137 | <i>monanthes</i> | 225, 226, 452 |
| <i>altajense</i> | 319 | <i>monodon</i> | 100 |
| <i>anceps</i> | 224, 452 | <i>mossambicensis</i> | 314 |
| <i>auriculatum</i> | 97 | <i>nidus</i> | 405, 407 |
| <i>auritum</i> var. <i>macilentum</i> | 100 | <i>obovatum</i> subsp. <i>lanceolatum</i> | 226, 452 |
| <i>azoricum</i> | 224, 225, 227 | <i>obovatum</i> subsp. <i>obovatum</i> | 452 |
| <i>barbadense</i> | 98 | <i>obtusatum</i> | 407 |
| <i>beckeri</i> | 298 | <i>obtusifolium</i> | 100 |
| <i>billotii</i> | 226, 357 | <i>onopteris</i> | 224, 226, 227, 357 |
| <i>bradeanum</i> | 298 | <i>oroupouchense</i> | 101 |
| <i>camerooniana</i> | 135 | <i>parablastophorum</i> | 314, 315 |
| <i>cariocanum</i> | 298 | <i>petrarchae</i> | 438 |
| <i>centripetale</i> | 86 | <i>poloense</i> | 299 |
| <i>ceterach</i> | 357 | <i>polyodon</i> | 405, 406 |
| <i>chaseanum</i> | 314, 315 | <i>praegracile</i> | 432 |
| <i>cirrhatum</i> | 97 | <i>proliferum</i> | 88 |
| <i>cirrhatum</i> var. <i>acutiserratum</i> | 97 | <i>pumilum</i> | 101 |
| <i>cristatum</i> | 97 | <i>ramlowii</i> | 315 |
| <i>cruegeri</i> | 98, 99 | <i>ruta-muraria</i> | 181, 247, 357, 427 |
| <i>cuneatum</i> | 98, 181, 220 | <i>sajanense</i> | 320 |
| <i>daghestanicum</i> | 319, 320 | <i>salicifolium</i> | 102 |
| <i>decompositum</i> | 432 | <i>sammatii</i> | 138 |
| <i>demerkense</i> | 432 | <i>schizophyllum</i> | 281 |
| <i>dentatum</i> | 98 | <i>schwakei</i> | 298 |
| <i>dentatum</i> var. <i>barbadense</i> | 98, 120 | <i>scolopendrium</i> | 167, 226, 227, 247, 357 |
| <i>dimidiatum</i> | 137 | <i>seebungweense</i> | 314 |
| <i>divaricatum</i> | 98 | <i>septentrionale</i> | 181, 319, 357, 377, 427, 452 |
| <i>dregeanum</i> | 137 | <i>serra</i> | 102, 149, 156, 157 |
| <i>emarginatum</i> | 130, 137 | <i>serratum</i> | 102 |
| <i>filare</i> subsp. <i>canariensis</i> | 452 | <i>serratodentatum</i> | 209, 212 |
| <i>fontanum</i> | 438 | <i>shuttleworthianum</i> | 407 |
| <i>fragile</i> var. <i>insulare</i> | 281 | <i>simii</i> | 432 |
| <i>gemmascens</i> | 128, 137, 316 | <i>smedsii</i> | 316 |
| <i>goetzii</i> | 442 | <i>stipicellatum</i> | 432 |
| <i>grandifolium</i> | 88 | <i>subhastatum</i> | 99 |
| <i>gueinzianum</i> | 186 | <i>terorense</i> | 452 |
| <i>hemionitis</i> | 225, 452 | <i>tetraphyllum</i> | 209 |
| <i>hemitomum</i> | 128, 137 | <i>trichomanes</i> | 247, 352, 427, 452 |
| <i>hoffmannii</i> | 99 | <i>trichomanes</i> subsp. <i>quadrivalens</i> | 227 |
| <i>hostmannii</i> | 99 | <i>uhligii</i> | 316, 432 |
| <i>integerrimum</i> | 99 | <i>unilaterale</i> | 130, 191 |
| <i>juglandifolium</i> | 99 | <i>unilobum</i> | 89 |
| <i>kassneri</i> | 432 | <i>variabile</i> | 137 |
| <i>laciniatum</i> | 179, 186 | | |
| <i>lademannianum</i> | 432 | | |

| | | | |
|--|---|-------------------------------------|--|
| <i>varians</i> | 186 | Bhutan | 196 |
| <i>viride</i> | 357 | Biodiversity Action Plan | |
| <i>volkensis</i> | 432 | see Action Plan | |
| <i>welwitschii</i> | 138 | Biodiversity | 269, 295, 341, 436, 463, 464, 465 |
| <i>yunnanense</i> | 320 | See also hotspots; diversity | |
| × <i>papyraceum</i> | 101 | Birdlife International | 283 |
| × <i>protomajoricum</i> | 438 | bivalents | 27, 171, 178, 179, 181, 183, 184, 185, 187 |
| × <i>rouyi</i> | 227 | Blechnaceae | 16, 103, 231, 282,-393, 401 |
| × <i>ticinense</i> | 213, 227, 228 | <i>Blechnum</i> | 250, 296 |
| <i>Asplenophyllitis microdon</i> | 287 | <i>australe</i> | 454 |
| Association for Tropical Biology | 401 | <i>binervatum</i> | 103 |
| | 5 | <i>brasiliense</i> | 149, 156, 157, 158, 159, 160, 161, 162, 163 |
| <i>Asteraceae</i> | 270 | <i>corralense</i> | 426 |
| asulam | 377 | <i>fraxineum</i> | 103 |
| <i>Athyriaceae</i> | 195, 281 | <i>gibbum</i> | 393 |
| <i>Athyriopsis japonica</i> | 320 | <i>glandulosum</i> | 103, 149, 154, 156, 157, 158, 159, 162, 163, 164 |
| <i>Athyrium</i> | 195, 363 | <i>gracile</i> | 103 |
| <i>annae</i> | 314, 315 | <i>heringeri</i> | 298 |
| <i>distentifolium</i> | 357 | <i>laevigatum</i> | 454 |
| <i>filix-femina</i> | 227, 228, 357, 375, 377, 452 | <i>nipponicum</i> | 320 |
| <i>flexile</i> | 343, 357 | <i>occidentale</i> | 104 |
| <i>scandicinum</i> var. <i>rhodesianum</i> | 314 | <i>polypodioides</i> | 104 |
| <i>wardii</i> | 320 | <i>raddianum</i> | 149, 154 |
| Atlantic Forest | 295, 444, 459 | <i>seminudum</i> | 116 |
| ATPB-RBCL intergenic spacer | 335 | <i>serrulatum</i> | 104, 149 |
| <i>Aucoumea klaineana</i> | 125 | <i>spicant</i> | 232, 320, 357, 377, 427, 452 |
| Australia | 24, 67, 105, 112, 219, 220, 221, 222, 227, 232, 388, 394, 420, 432, 434, 467 | <i>unilaterale</i> | 104 |
| autopolyploidy | 181, 185 | <i>volubile</i> | 105 |
| Ayurvedic and Unani system of medicine | 188 | × <i>caudatum</i> | 103 |
| <i>Azollaceae</i> | 401 | <i>Blotiella</i> cf. <i>reducta</i> | 136 |
| <i>Azolla</i> | 273 | <i>currori</i> | 136 |
| <i>caroliniana</i> | 119 | <i>lindeniana</i> | 62 |
| Azores | 213, 215, 216, 217, 218, 219, 220, 221, 222, 224, 227, 228, 229, 230, 231, 232, 234, 235, 448 | <i>reducta</i> | 136 |
| Azores anticyclone | 214 | <i>Bolbitis</i> | 139 |
| B | | <i>acrostichoides</i> | 139, 191 |
| Balearic Islands | 205, 207, 428, 438 | <i>aliena</i> | 89 |
| Bangoué-ville | 128 | <i>auriculata</i> | 139 |
| Barbados | 23, 53, 98, 301 | <i>gaboonsensis</i> | 139 |
| Bay of Biscay | 274 | <i>gemmifera</i> | 139, 315 |
| Belize | 74, 79 | <i>hemiotis</i> | 89 |
| Benbulben; Benbulben massif; Ben Bulben | 143, 144, 250 | <i>heudelotii</i> | 140 |
| Benwiskin | 143 | <i>lindigii</i> | 299 |
| Berlin | 38, 42, 45, 50, 60, 64, 68, 103, 105, 136 | <i>nicotianifolia</i> | 299 |
| Bermuda | 23 | <i>portoricensis</i> | 90 |
| <i>Bernhardia antillarum</i> | 17 | <i>salicina</i> | 139, 140 |
| | | <i>semipinnatifida</i> | 90, 299 |
| | | <i>Bolboschoenus</i> | 8 |
| | | Bolivia | 116, 212, 400 |
| | | Bongoville | 128 |
| | | BOOK REVIEW | 123, 146, 167, 194, 200, 238 |
| | | Borneo | 242 |
| | | Botanic Garden | 276, 322, 347, 370, 374, |

| | | | |
|---|---|---|--|
| | 396, 409, 418, 421,-428, 433, 470 | <i>Carpobrotus edulis</i> | 408 |
| See also specific gardens | | casuals | 215 |
| Boumango | 128 | Caucasus | 194, 230, 320 |
| <i>Botrychium</i> | 293 | Central America | 22, 23, 98, 99 |
| <i>lunaria</i> | 357 | Centre International de Recherche Médicale, | |
| <i>strictum</i> | 320 | Franceville, BP 769, Gabon | 125 |
| <i>virginianum</i> | 298 | centre of endemism | 125 |
| bracken | 194, 200 | centres of neophyte diversity | 234 |
| bracken clearance | 200 | centre of plant diversity | 271 |
| Bradley-Smith, Clare | 13 | <i>Cephalomanes crispiforme</i> | 133 |
| Brazil | 21, 24, 25, 26, 39, 40, 44, 46, 66, 67, 70, 82, 83, 86, 90, 98, 99, 108, 109, 110, 114, 115, 116, 118, 119, 147, 148, 209, 212, 274, 280, 295, 400, 421, 430, 444, 455, 459 | <i>Ceradenia jungermannioides</i> | 448 |
| British Columbia | 144, 245 | <i>Ceratopteridaceae</i> | 272 |
| British Isles | 143, 144, 146, 220, 221, 222, 230, 245, 250, 284, 341, 344, 350, 356, 442, 449, 466 | <i>Ceratopteris lockhartii</i> | 55 |
| British Museum (Natural History) | 1, 5, 8, 9, 10, 12,-120, 123, 127 | <i>pteridoides</i> | 55 |
| British Red Data Book | 345 | <i>richardii</i> | 55 |
| Brittonia | 238 | <i>thalictroides</i> | 55, 56, 132 |
| bryophytes | 151, 202, 240, 241, 242 | cerrado | 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 |
| <i>Bulbostylis</i> | 8 | <i>Ceterach aureum</i> | 452 |
| bulls | 214 | <i>officinatum</i> | 319 |
| Burma | 195, 196 | <i>Cheilanthes</i> | 321 |
|  | | <i>angustifrons</i> | 315 |
| Cabo Verde | 215 | <i>concolor</i> | 299 |
| Caesalpiniaceae | 125 | <i>kuhnii</i> | 320 |
| Cainozoic ferns | 238 | <i>leachii</i> | 315 |
| California | 292 | <i>maderensis</i> | 452 |
| <i>Caloclaena</i> | 393 | <i>persica</i> | 320 |
| Cambodia | 242 | <i>pteridioides</i> | 319 |
| Cameroon | 128, 130, 132 | <i>similis</i> | 128, 129, 132, 315 |
| <i>Camptosorus sibiricus</i> | 319 | <i>tinnaei</i> | 452 |
| <i>Campyloneurum</i> | 156 | <i>welwitschii</i> | 315 |
| <i>brevifolium</i> | 105 | <i>Cheiroglossa palmata</i> | 24 |
| <i>costatum</i> | 106 | <i>Cheiropleuria bicuspis</i> | 195, 197 |
| <i>phyllitidis</i> | 9, 106, 149, 150, 156, 157 | Cheiropleuriaceae | 197 |
| <i>repens</i> | 106 | Cheju Island | 169, 170, 171, 174 |
| Canada | 119, 143, 144, 280, 291, 422 | Chile | 98, 420, 426 |
| Canaries; Canary Islands | 217, 221, 229, 448, 452 | China | 59, 135, 169, 171, 175, 176, 195, 196, 219, 229, 232, 335, 383, 394, 421, 432 |
| canopy forest | 127, 131 | China: Guangxi | 196 |
| carboniferous | 272 | China: Sichuan | 196 |
| <i>Carex divisia</i> | 325 | chloroform | 177 |
| carcinogenesis | 200 | chloroplast DNA | 335 |
| carcinogenic glucosides | 194 | <i>Christella boydiae</i> | 282 |
| Caribbean | 13, 301, 448 | <i>dentata</i> | 68, 130, 137, 224 |
| | | <i>hispidula</i> | 69 |
| | | <i>parasitica</i> | 405, 406 |
| | | <i>scabriuscula</i> | 72 |
| | | <i>wallele</i> | 282 |
| | | <i>Cibotium</i> | 363, 393 |
| | | <i>apoensis</i> | 311 |
| | | <i>barometz</i> | 383 |
| | | <i>cumingii</i> | 311 |
| | | <i>glaucum</i> | 364 |
| | | chromosomal analysis | 177, 184, 187 |

| | | | |
|---|--|---|--|
| chromosome number | 170, 171, 176, 181 | <i>japonica</i> | 219 |
| chromosomes | 31, 32, 38, 54, 99, 101, 169, 170, 171, 172, 179, 185, 186, 240 | <i>raddeana</i> | 319 |
| <i>Circaea lutetiana</i> | 247 | <i>stelleri</i> | 321 |
| CITES | 281, 383, 396, 419, 434 | <i>Cryptomeria</i> | 214, 216, 220, 221, 223, 229, 230, 231, 234 |
| <i>Cladium</i> | 8 | <i>japonica</i> | 214 |
| Clayton, John | 9 | <i>Ctenitis aripensis</i> | 78 |
| climate | 144, 214 | <i>cumingii</i> | 406 |
| climax vegetation | 272 | <i>effusa</i> var. <i>divergens</i> | 78 |
| Clot d'Albarca | 205 | <i>kallooi</i> | 79 |
| cloud forest | 288, 303, 405 | <i>nigrovenia</i> | 76 |
| <i>Cnemidaria grandifolia</i> var. <i>obtusa</i> | 43 | <i>paleolata</i> | 310 |
| <i>grandifolia</i> var. <i>grandifolia</i> | 62 | <i>protensa</i> var. <i>funesta</i> | 83 |
| <i>spectabilis</i> | 44 | <i>refulgens</i> | 13, 76 |
| <i>spectabilis</i> var. <i>spectabilis</i> | 45 | <i>sloanei</i> | 76 |
| <i>tolzeana</i> | 394 | <i>squamigera</i> | 282 |
| <i>uleana</i> | 298 | <i>troupinii</i> | 141 |
| <i>Cochlidium furcatum</i> | 115 | <i>Ctenopteris blechnoides</i> | 243 |
| <i>linearifolium</i> | 116 | <i>epaleata</i> | 239, 240 |
| <i>seminudum</i> | 116 | <i>perplexa(e)</i> | 201, 239, 240 |
| collection efficiency | 305, 309, 314 | <i>repandula(e)</i> | 239, 240, 243 |
| collector | 15, 147, 150, 151, 152, 153, 154, 155, 164, 240, 241, 243 | <i>sikkimensis</i> | 202 |
| Colombia | 18, 21, 22, 23, 26, 32, 43, 44, 52, 57, 76, 82, 83, 87, 90, 91, 98, 99, 100, 101, 109, 115, 116, 119, 212, 395, 400, 421 | <i>sp.</i> | 240 |
| colour variation of the sori | 177 | <i>subfalcata</i> | 240 |
| Comores | 224 | <i>thwaitesii</i> | 243 |
| Congo | 54, 128, 132, 138 | Cuba | 8, 26, 27, 29, 31, 32, 42, 45, 55, 60, 66, 84, 103, 104, 109 |
| <i>Coniogramme africana</i> | 192, 316 | <i>Culcita</i> | 393 |
| <i>intermedia</i> | 319 | <i>macrocarpa</i> | 223, 235, 445, 446, 452 |
| conservation | 5, 123, 167, 191, 205, 250 | cultivation | 11, 13, 15, 48, 51, 65, 94, 95, 112, 119, 167, 169, 219, 250 |
| see also <i>in situ</i> ; <i>ex situ</i> conservation | | cultural value (of ferns) | 269 |
| Convention on Biological Diversity | 269, 281, 341, 344, 409, 417 | <i>Cunninghamia</i> | 337 |
| Cook Islands | 305 | curiosity | 88 |
| <i>Cornopteris crenuloserrata</i> | 322 | Cyatheaceae | 16, 43, 135, 363, 393, 400, 434, 441 |
| Cornwall | 245, 246, 247, 249 | Cyathea | 272, 363, 393, 394, 400, 419 |
| Corsica | 217, 232 | <i>acuminata</i> | 311, 394 |
| <i>Corylus avellana</i> | 247 | <i>albobcetaceae</i> | 394 |
| Costa Rica | 22, 27, 31, 32, 40, 43, 71, 91, 92, 93, 108, 117, 291, 365, 394, 401, 421 | <i>alleniae</i> | 394 |
| Countryside Council for Wales | 267, 342, 381 | <i>annae</i> | 394 |
| County Sligo | 143 | <i>apoensis</i> | 311 |
| creeping rhizome | 128, 130, 184 | <i>arthropoda</i> | 394 |
| cryopreservation | 299, 364, 362, 369, 458 | <i>aspera</i> | 45 |
| Cryptogramma | 321, 363 | <i>atrovirens</i> | 296 |
| <i>Cryptogramma crispa</i> | 357, 377 | <i>australis</i> | 389 |
| | | <i>australis</i> subsp. <i>norfolkensis</i> | 394 |
| | | <i>brevipinna</i> | 395 |
| | | <i>brownie</i> | 395 |
| | | <i>bunnemijerii</i> | 395 |
| | | <i>camerooniana</i> | 135 |
| | | <i>carasana</i> var. <i>maxonii</i> | 395 |
| | | <i>coactilis</i> | 395 |


| | | | |
|-----------------------------------|--------------------------------------|--|--|
| <i>Davalliopsis elegans</i> | 36 | <i>cristatum</i> | 87 |
| deforestation | 269, 273, 315, 388, 421, 434 | <i>cristatum</i> | 88 |
| Democratic Republic of Congo | 314 | <i>diplazioides</i> | 87 |
| Dennstaedtiaceae | 16, 62, 135, 282, 400 | <i>esculentum</i> | 179, 185 |
| <i>Dennstaedtia bipinnata</i> | 62 | <i>expansum</i> | 87 |
| <i>dissecta</i> | 63 | <i>frondosum</i> | 185 |
| <i>obtusifolia</i> | 63 | <i>grandifolium</i> | 88 |
| <i>Deparia kaolaana</i> | 282 | <i>harpeodes</i> | 406 |
| <i>petersenii</i> | 228, 235 | <i>molokaiense</i> | 282 |
| desert ferns | 146 | <i>polypodioides</i> | 178, 185 |
| Devonian | 272 | <i>polypodioides</i> var. <i>brachylobum</i> | 185 |
| diakinesis | 171 | <i>proliferum</i> | 88 |
| <i>Diblemma</i> | 309 | <i>sammatii</i> | 138 |
| Dicksoniaceae | 222, 363, 383, 393, 401, 434, 441 | <i>shepherdii</i> | 88 |
| <i>Dicksonia</i> | 250, 393, 419 | <i>trinitense</i> | 88 |
| <i>antarctica</i> | 388, 434 | <i>unilobum</i> | 89 |
| <i>arborescens</i> | 411 | <i>welwitschii</i> | 138 |
| <i>berteriana</i> | 395 | × <i>papyraceum</i> | 101 |
| <i>bipinnata</i> | 62 | diploid | 52, 79, 81, 83, 167, 169, 174, 177, 178, 179, 180, 181, 182, 184, 185, 186, 187, 250 |
| <i>culcita</i> | 223 | <i>Diplostachyum tenellum</i> | 23 |
| <i>externa</i> | 395 | <i>Diplopterigium chinense</i> | 384 |
| <i>obtusifolia</i> | 63 | Dipteridaceae | 197 |
| <i>sellowiana</i> | 295, 298, 439, 459 | <i>Dipteris</i> | 197 |
| <i>Dicranoglossum desvauuxii</i> | 106 | dispersal of spores | 155 |
| <i>Dicranopteris</i> | 273 | distribution | 11, 60, 78, 99, 120, 123, 143, 153, 170, 175, 180, 191, 194, 195, 196, 197, 205, 207, 212, 213, 214, 215, 233, 238 |
| <i>brittonii</i> | 32 | distribution data | 191, 233 |
| <i>flexuosa</i> | 29, 149, 154, 164 | distribution maps | 213, 214, 215, 233, 234 |
| <i>linearis</i> | 134, 406 | distribution patterns | 238 |
| <i>pectinata</i> | 30 | disturbance | 273, 284 |
| <i>pedata</i> | 384 | diversity maps | 233 |
| <i>Dictyopteris varians</i> | 141 | Djoumou falls | 127 |
| <i>Didymochlaena truncatula</i> | 84 | DNA | 181, 200, 420, 436, 465 |
| <i>Didymoglossum angustifrons</i> | 35 | Dominica; Dominican Republic | 43, 46, 60, 91 |
| <i>krausii</i> | 37 | <i>Doodia caudata</i> | 231, 232 |
| <i>punctatum</i> | 40 | <i>lyonii</i> | 282 |
| <i>sphenoides</i> | 40 | <i>media</i> | 407 |
| <i>Diellia erecta</i> | 281, 330 | <i>Doryopteris</i> | 459 |
| <i>falcata</i> | 281, 330 | <i>angelica</i> | 282 |
| <i>leucostegioides</i> | 281 | <i>concolor</i> | 149, 154 |
| <i>mannii</i> | 281 | <i>patula</i> | 298 |
| <i>pallida</i> | 281, 330 | <i>rufa</i> | 298 |
| <i>unisora</i> | 281, 330 | <i>takeuchii</i> | 282 |
| × <i>lauii</i> | 281, 330 | dot grid mapping | 213, 214 |
| <i>Diphasiastrum madeirense</i> | 213, 215, 216 | <i>Drynaria</i> | 363 |
| <i>Diphasium madeirense</i> | 216 | <i>laurentii</i> | 134 |
| <i>Diplacrum</i> | 8 | <i>quercifolia</i> | 64, 435 |
| <i>Diplazium</i> | 8, 400 | Dryopteridaceae | 16, 83, 140, 149, 195, 229, 245, 282, 363, 400 |
| <i>aff. centripetale</i> | 86 | <i>Dryopteris</i> | 195, 363 |
| <i>aff. striatum</i> | 87 | | |
| <i>allorgei</i> | 228 | | |
| <i>caracasenum</i> | 88 | | |
| <i>caudatum</i> | 228, 452 | | |
| <i>centripetale</i> | 86 | | |

| | | | |
|--|---------------------------------------|--|--|
| <i>aemula</i> | 229, 230, 231, 342, 357, 445, 452 | <i>pteropus</i> | 92 |
| <i>affinis</i> | 230, 357, 452 | <i>rhodesianum</i> | 314, 315 |
| <i>affinis</i> subsp. <i>affinis</i> | 230 | <i>rigidum</i> | 92, 93 |
| <i>afra</i> | 138 | <i>schomburgkii</i> | 92 |
| <i>aitoniana</i> | 452 | <i>semicylindricum</i> | 231, 234 |
| <i>azorica</i> | 230, 231 | <i>zambesiicum</i> | 314, 315 |
| <i>carthusiana</i> | 284, 357, 450 | Endangered Species Act | 291 |
| <i>caucasica</i> | 319 | endemic | 20, 31, 32, 34, 45, 46, 47, 54, 58, 75, 78, 79, 80, 88, 96, 98, 101, 115, 171, 174, 185, 212, 215, 216, 217, 222, 224, 228, 230, 231, 234, 235, 240, 241, 274, 291, 308, 314, 315, 398, 400, 404, 411, 420, 429, 463, 464, 470 |
| <i>chinensis</i> | 319, 320 | English Nature | 267, 341, 381, 466 |
| <i>corleyi</i> | 445 | environmental health | 269, 273 |
| <i>crinalis</i> var. <i>podosorus</i> | 282 | equatorial ridge (cingulum), | 206 |
| <i>crispifolia</i> | 231 | Equisetaceae | 17, 143, 217, 272, 363, 401 |
| <i>cristata</i> | 357, 449, 465 | Equisetopsida | 16 |
| <i>dilatata</i> | 247, 357, 377, 450, 452 | <i>Equisetum</i> | 16, 296, 363 |
| <i>dilatata</i> subsp. <i>azorica</i> | 230 | <i>arvense</i> | 143 |
| <i>expansa</i> | 357, 450 | <i>fluviatile</i> | 143, 217 |
| <i>filix-mas</i> | 230, 247, 357, 377 | <i>giganteum</i> | 17 |
| <i>glabra</i> var. <i>pusilla</i> | 282 | <i>maximum</i> | 217 |
| <i>guanchica</i> | 445, 452 | <i>palustre</i> | 143, 144 |
| <i>enseniae</i> | 140 | <i>ramosissimum</i> | 343, 452 |
| <i>maderensis</i> | 452 | <i>telmateia</i> | 143, 217, 218 |
| <i>nesiotica</i> | 70 | <i>telmateia</i> subsp. <i>braunii</i> | 144 |
| <i>oreades</i> | 357 | × <i>font-queri</i> | 143, 144 |
| <i>remota</i> | 167 | × <i>litorale</i> | 143, 144 |
| <i>rolandii</i> | 74 | <i>Equisetum</i> subgenus <i>Equisetum</i> | 144 |
| <i>submontana</i> | 167, 357 | <i>Erica</i> | 220, 221, 225, 232 |
| <i>tetrapinnata</i> | 282 | <i>azorica</i> | 448 |
| × <i>complexa</i> | 247 | <i>Eriosorus cheilanthoides</i> | 297 |
| Durban 2003 | 278 | <i>rufescens</i> | 297 |
|  | | <i>sellowianum</i> | 298 |
| Eaton | 11 | escapes from cultivation | 235 |
| ecological profile | 437 | Estonia | 352, 427, 450 |
| Ecuador | 32, 43, 74, 90, 114, 116, 212, 400 | ethnobotany | 414 |
| Eden project | 396 | ethyl alcohol | 177 |
| education | 276, 424, 429 | <i>Eucalyptus globulus</i> | 214, 390, 446 |
| Elaphoglossaceae | 197 | <i>Euphorbia stygiana</i> | 448 |
| <i>Elaphoglossum</i> | 13, 197, 400 | <i>Euphrasia grandiflora</i> | 448 |
| <i>beckeri</i> | 299 | Europe | 12, 51, 143, 144, 214, 217, 218, 220, 221, 222, 224, 225, 226, 227, 230, 232, 448, 450, 464, 465 |
| <i>bifurcatum</i> | 411 | European Habitats Directive | 342 |
| <i>boryanum</i> | 90 | Everhardus Kickius | 9 |
| <i>boryanum</i> var. <i>boryanum</i> | 91 | evolution | 274, 288, 432, 454, 463 |
| <i>crinitum</i> | 91 | ex situ conservation | 269, 270, 272, 299, 315, 362, 369, 393, 408, 419, 429 |
| <i>cruegerianum</i> | 92 | extinct; extinction | 167, 171, 214, 218, 221, |
| <i>dimorphum</i> | 411 | | |
| <i>herminieri</i> | 91 | | |
| <i>hirtum</i> | 231 | | |
| <i>lingua</i> | 91 | | |
| <i>longifolium</i> | 91 | | |
| <i>luridum</i> | 92 | | |
| <i>mildbraedii</i> | 316 | | |
| <i>nervosum</i> | 411 | | |

234, 269, 273, 281, 282,
295, 297, 310, 321, 393,
452, 459, 462






Faeroes 221
Faial 213, 214, 215, 233, 234,
235
Feea osmundoides 38
Fendler, August 11
ferns as food 271, 273, 321
fertile fronds 128, 129, 249
Fiji 220
filmy ferns 12, 146
Fimbristylis 8
Flora Mesoamericana 5, 8, 15
Flora Pteridologia Latinoamerica
399
Flora of Ceylon 201, 239
Flora Sichuanica 195
Flora Zambesiaca 315, 317
FLOREIN 5.0, 214
Flores 215, 234, 235
Florida 18, 21, 24, 26, 30, 38,
47, 53, 56, 57, 58, 59,
62, 63, 69, 72, 74, 75,
76, 77, 80, 94, 95, 97,
98, 102, 103, 105, 106,
110, 111, 112, 115, 284,
292
Forest 280
 See also gallery forest ; cloud forest
Fossil ferns 238
France 131, 143, 144, 221, 222,
224, 230, 274
Franceville 125, 126, 127, 141
Frangula azorica 225
French Guiana 24, 42, 43, 65, 92, 116,
394
Fuirena 8






G-ranks 291
Gabon 125, 126, 128, 130, 132,
137, 141
gallery forest 125, 147, 148, 149, 150,
151, 153, 154, 155, 156,
157, 158, 159, 160, 161,
162, 163, 164
gametophyte(s), 207, 222, 250, 272, 274,
303, 342
Garrett Moore 9
GB; Great Britain
 see British Isles
gelatin 147, 150
genetic diversity 206, 269, 335, 346, 375,
408, 411, 449, 464, 465


genotoxicity 200
geological history 238
Georgia (USA), 62, 111, 292
Geothermal; geothermal sites 238, 273, 274, 275
Germany 51, 143, 144, 195, 213,
221, 230
Ghana 2
Gingko 396
glaciation 320, 335, 337, 356, 464
Gleichenaceae 16, 29, 134, 401
Gleichenia bifida 30, 31
 brittonii 32
 interjecta 30, 31, 32
 remota 31, 32
 rubiginosa 32
 × *pseudobifida* 31
 × *subremota* 32
global conservation concern 171
Global Strategy for Conservation
270
Global Positioning System (GPS),
214
glycerin 148, 150
Gomera 230
Gondwana 420
Goniophlebium dissimile 112
 loriceum 113
 triseriale 114
Goniopteris nephrodioides 70
 paucijuga 73
 pennata 73
 poiteana 74
 tetragona 75
 × *tabaquitensis* 75
Gonocormus minutus 320
Graciosa Island 215
Grammitidaceae 16, 115, 201, 239, 274,
282, 400
Grammitis 12, 15, 272
 asplenifolia 115
 attenuata 242, 243
 austroindica 201, 202
 furcata 115
 hombersleyi 115
 limbata 116
 linearifolia 116
 marginella 448
 mediale 240
 medialis 241, 242, 243
 mollissima 116
 seminuda 116
 serrulata 117, 315
 sikkimensis 202
 sledgei 239, 240, 241, 242, 243
 suspensa 117
 taenifolia 117



| | | | |
|--|--|---|--------------------------------------|
| <i>taxifolia</i> | 118 | <i>cajenensis</i> | 60 |
| <i>tenuicula</i> | 118 | <i>esculenta</i> | 185 |
| <i>villosissima</i> | 316 | <i>lanceolata</i> | 60 |
| <i>wallii</i> | 243 | <i>palmata</i> | 56 |
| Gran Canaria | 451 | <i>pozoi</i> | 223 |
| Gran Canaria initiative | 270, 275 | <i>cyatheoides</i> | 44 |
| grasses | 186 | <i>obtusa</i> | 43 |
| Great Horsetail | 143 | <i>spectabilis</i> | 44 |
| Greater Antilles | 42, 45, 46, 55, 56, 60, 63, 64, 65, 66, 71, 74, 81, 83, 84, 89, 99, 100, 103, 104, 106, 109, 110, 119, 274, 301, 421 | <i>spectabilis</i> var. <i>trinitensis</i> | 43 |
| Grenada | 27, 42, 44, 86, 90, 91, 110, 301 | <i>stigmosa</i> | 44 |
| ground water | 151 | <i>surinamensis</i> | 46 |
| Guadeloupe | 26, 27, 39, 42, 86, 89, 91, 98 | <i>trinitensis</i> | 47 |
| Guangdong | 197 | <i>Hemitelia</i> × <i>hombersleyi</i> | 44 |
| Guangxi | 197 | Herbarium | 307, 319, 399, 442, 450, 459, 467 |
| Guatemala | 74, 98, 99, 434 | See also under individual institutes | |
| Guernsey | 287 | herbicide spraying | 200 |
| Guianan | 22, 26, 39, 40, 44, 46, 55, 64, 65, 67, 70, 82, 83, 86, 90, 91, 92, 99, 109, 111, 115, 116 | heterosporous pteridophytes | 207 |
| Guinea | 125, 131, 132, 137, 139 | High Performance Liquid Chromatography (HPLC) | 185 |
| Gulf of Guinea | 191 | Himalaya | 178, 180, 185, 187 |
| gulfstream | 214 | Himalayas | 219, 232 |
| Guyana | 21, 32, 71, 82, 84, 87, 114, 116, 118 | Hispaniola | 27, 45, 55, 81, 84 |
| <i>Gymnocarpium dryopteris</i> | 357, 377 | <i>Histiopteris incisa</i> | 136 |
| <i>robertianum</i> | 357, 427, 456 | Hombersley, Rev. A. | 12 |
| <i>Gymnogramma pumila</i> | 61 | Honduras | 99 |
| <i>Gymnopteris heudelotii</i> | 140 | horticulture | 356, 388, 434, 439 |
| <i>semipinnatifida</i> | 90 | hot-spots of diversity | 270, 283, 398, 400, 417 |
|  | | See also diversity; biodiversity | |
| habitat | 1, 11, 12, 15, 123, 139, 144, 155, 164, 181, 191, 206, 207, 213, 214, 250 | humidity | 151 |
| habitat dynamics | 284 | <i>Huperzia</i> | 195, 400 |
| habitat loss | 269 | <i>acerosa</i> | 17 |
| Hainan | 197, 242 | <i>aqualupiana</i> | 17 |
| Haiti | 24, 25, 58, 60, 62, 100 | <i>badiniana</i> | 298 |
| Hans Sloane's herbarium | 9 | <i>capillaris</i> | 299 |
| <i>Haplodictyum</i> | 309 | <i>catherinae</i> | 297 |
| Haut-Ogooué, | 125, 126, 127, 128, 140, 141 | <i>dentata</i> | 215, 216 |
| Hawaii | 274, 281, 290, 292, 330, 396, 420 | <i>dichotoma</i> | 18 |
| <i>Hecistopteris pumila</i> | 61 | <i>dixitiana</i> | 195 |
| <i>Hedychium</i> | 214, 235 | <i>erythrocaulon</i> | 298 |
| <i>gardneranum</i> | 214 | <i>friburgensis</i> | 298 |
| Helechos de Mbaracayù | 123 | <i>funiformis</i> | 18 |
| <i>Hemidictyum marginatum</i> | 89 | <i>linifolia</i> | 18 |
| <i>Hemionitis acrostichoides</i> | 139 | <i>mannii</i> | 282 |
| <i>arifolia</i> | 179 | <i>martii</i> | 298 |
| | | <i>mooreana</i> | 398 |
| | | <i>nuda</i> | 297 |
| | | <i>nutans</i> | 282 |
| | | <i>regnellii</i> | 298 |
| | | <i>rostrifolia</i> | 298 |
| | | <i>rubra</i> | 298 |
| | | <i>selago</i> | 195, 215, 377 |
| | | <i>stemmermanniae</i> | 282 |
| | | <i>suberecta</i> | 215, 216, 234 |
| | | <i>treitubensis</i> | 298 |
| | | <i>taxifolia</i> | 19 |
| | | <i>verticillata</i> | 17 |
| | | hurricane Flora | 14 |

- hurricanes 301
- hybrid 28, 31, 32, 34, 54, 56, 75, 79, 99, 100, 101, 143, 144, 169, 206, 227, 245, 247, 248, 249, 250, 251
- hybridisation 31, 207, 250
- hybrid-native/alien 245
- hydathodes 241, 242
- Hydrangea*
macrophylla 214
- Hydrangeaceae 214
- Hymenasplenium* 99
- Hymenophyllaceae 15, 16, 32, 133, 221, 272, 370, 400
- Hymenophyllopsidaceae 401
- Hymenophyllopsis ctenitoides* 299
dejecta 299
- Hymenophyllum asplenoides* 32
cruegeri 33
dependens 32
ebeneum 34
elegans 33, 34
fucooides 33
hirsutum 33, 34
malingii 272
peltatum 297
polyanthos 34
rupestre 41
tayloriae 34
unilaterale 221
tunbrigense 221, 357, 452, 453, 458
wilsonii 221, 222, 342, 357, 447, 452
 × *tucuchense* 34, 120
- Hymenostachys diversifrons* 36
- Hypoderris brownii* 77
- Hypolepidaceae 223
- Hypolepis repens* 63
- 
- icon (fern as) 273, 276, 295
- Iceland 217, 221
- Ilex* 214, 221, 222, 231
- Ilex perado* subsp. *azorica* 214
- Imperial College of Tropical Agriculture at St. Augustine 5, 12
- India 53, 118, 151, 169, 177, 178, 179, 185, 186, 187, 188, 196, 201, 202, 224, 229, 239, 394, 436
- Indian Ocean islands 24
- indigenous flora 11
- Indochina Peninsula 197
- Indonesia 196, 197, 283, 394, 431, 434
- indurated cells of annulus 202, 240, 241, 242
- indusium 81, 247, 248, 249
- in situ* conservation 269, 270, 272, 278, 281, 286, 356, 429, 454, 468
- International Association of Pteridologists 267, 417
- International Botanical Congress 270, 418
- International Bracken Group 194
- Invasive (see also alien; neophyte) 396, 407
- Ireland 143, 144, 221, 222, 227, 250, 442, 456
- Irish Red Data Book 457
- island altitude 302
- island area 302
- island flora 301
- Isle of Skye 144
- Isoetaceae 169, 205, 217, 282, 401, 441
- Isoetes*
asiatica 171, 174
azorica 217
bolanderi 441
boryana 274
coreana 171
duriei 205, 206, 207, 324
hawaiiensis 282
histrix 205, 206, 207, 324
histrix var. *desquamata* 205
japonica 171, 174
kriegeri 298
michinokuana 174
olympica 324
pseudojaponica 174
sinensis var. *coreana* 171, 174
sinensis var. *sinensis* 169, 170, 171, 173, 174
taiwanensis 169, 174
velata 205, 437
- Isolepis* 8
- Isozyme
 See allozyme
- IUCN 267, 278, 417, 462, 469
- Italy 144, 221, 232
- Itirapina 148
- 
- Jamaica 4, 5, 9, 17, 19, 23, 25, 26, 27, 28, 29, 32, 33, 34, 38, 39, 41, 42, 43, 45, 49, 53, 54, 55, 56, 59, 60, 65, 66, 67, 70, 72, 74, 75, 77, 78, 83, 86, 87, 88, 89, 99, 100, 101, 103, 104, 106, 110, 112, 114, 119
- Jamesonia brasiliensis* 297

- Japan 169, 171, 174, 175, 176,
196, 197, 219, 229, 232,
395, 421
- Java 219, 232, 242
- Jerny, A.C. (Vols. 6,7,8 dedicated to)
12, 255
- Jiménez 123
- Juan Fernandez Is., 42, 395
- Juncus inflexus* 325
- Juniperus* 214, 215, 216, 218, 221,
222, 229, 231
brevifolia 214, 215, 448
- Jurassic 335
- 
- Kallar 184
- Kangding 195
- Keelnadugani 180, 182
- Kenya 130, 132
- Kerala 177, 179, 184, 185
- Kermadec Is., 394
- Kessipougou 128
- King's College Biological Society
3
- King's College, London 2
- Knapp 123
- Korea 169, 170, 171, 175, 176,
196, 229
- Kothayar Hills 184
- Kumamoto University 169, 170
- Kyllinga 8
- 
- Lacosteopsis orientalis* 319, 320
- Lactuca watsoniana* 225, 448
- laminar indumentum 240
- land-use 14
- Lastoursville 128
- Lastraea scabriuscula* 72
calcarata var. *ciliata* 184
dentata 224
pilosissima 140
poiteana 74
Lastreopsis 127
currori subsp. *currori* 141
effusa subsp. (var.) *divergens*
78
pacifica 406
- Latin America 291, 444
- latitudinal bands 15
- laurisilva 222, 223, 226, 229, 230,
232
- Laurus* 222
azorica 214
- Lecanolepis membranacea* 38
- Lellingeria hombersleyi* 115
- suspensa* 117
- tenuicula* 118
- Lepidotis cernua* 216
- Lepiosorus albertii* 320
- Leptochilus gemmifer* 139
hemiotis 89
- Leptogramma totta* 183
- Leptolepidium kuhnii* 320
- Leptorumohra miqueliana* 319, 322
- Lesser Antilles 23, 25, 37, 39, 40, 42,
43, 44, 59, 60, 68, 86,
89, 90, 91, 92, 103, 105,
107, 110, 118
- Leucostegia immersa* 195, 196
- Liberia 117
- lichens 108, 202
- lifespan of ferns 321
- limestone 273, 302, 427, 456
- Lindsaea* 156, 157
lancea 12, 63, 149, 150, 156,
157
lancea var. *falcata* 63
pallida 64
portoricensis 64
quadrangularis 149, 150, 156, 157
stricta var. *parvula* 64
stricta var. *stricta* 65
- Lindsaya parvula* 64
- Lipocarpa* 8
- Liquid nitrogen 336, 362, 458
- Liquidamba macrophylla* 441
- Litobrochia inaequalis* 58
- Little Tobago 53, 56
- logging 21, 429, 459
See also deforestation
- Lomariopsidaceae 16, 89, 138, 231, 400
- Lomariopsis congoensis* 138
fendleri 93
guineensis 139
hederacea 192
japurensis 93
marginata 93
palustris 139
prieuriana 94
rossii 139
- Lonchitis lindeniana* 62
reducta 136
repens 63
- Lophosoria quadripinnata* 42
- Lophosoriaceae 16, 42, 401
- Lord Howe Is., 394
- Lorinseria* 284
- Lotzea diplazioides* 87
- Louisiana 62, 69
- Lunathyrium petersenii* 228
- Luxembourg 221
- Loxomataceae 272, 401
- Loxoscapha gibberosum* 406
- Lunathyrium henryi* 320




| | | |
|--|--------------------------|--------------------------|
| <i>Luronium natans</i> | 437 | 221, 222, 224, 227, 228, |
| Luxembourg | 453 | 229, 230, 231, 232, 234 |
| <i>Lychnis viscaria</i> | 352 | |
| Lycopodiaceae | 16, 17, 130, 215, 282, | |
| | 401, 441 | |
| <i>Lycopodiella</i> | 284, 293 | |
| <i>affinis</i> | 130 | |
| <i>benjaminiana</i> | 299 | |
| <i>bradei</i> | 297, 298 | |
| <i>caroliniana</i> | 19 | |
| <i>caroliniana</i> var. <i>meridionalis</i> | 27 | |
| <i>cernua</i> | 19, 131, 149, 154, 155, | |
| | 156, 157, 158, 159, 162, | |
| | 163, 164, 216, 234, 405, | |
| | 406 | |
| <i>inundata</i> | 343, 419, 466 | |
| <i>iuliformis</i> | 299 | |
| Lycopodiopsida | 16 | |
| <i>Lycopodium</i> | 296 | |
| <i>acerosum</i> | 17 | |
| <i>affine</i> | 130 | |
| <i>aqualupianum</i> | 17 | |
| <i>assurgens</i> | 297, 298 | |
| <i>cernuum</i> | 131, 216 | |
| <i>dichotomum</i> | 18 | |
| <i>diffusum</i> | 20 | |
| <i>funiforme</i> | 18 | |
| <i>jussiaei</i> | 297, 298 | |
| <i>linifolium</i> | 18 | |
| <i>madeirense</i> | 216 | |
| <i>meridionale</i> | 19 | |
| <i>mniooides</i> | 20 | |
| <i>mysorus</i> | 131 | |
| <i>nudum</i> | 17 | |
| <i>phlegmaria</i> | 316 | |
| <i>planum</i> | 21 | |
| <i>plumosum</i> | 215 | |
| <i>porelloides</i> | 22 | |
| <i>taxifolium</i> | 19 | |
| <i>verticillatum</i> | 17 | |
| <i>Lygodium micans</i> | 28 | |
| <i>microphyllum</i> | 131 | |
| <i>smithianum</i> | 132 | |
| <i>venustum</i> | 28 | |
| <i>volubile</i> | 28 | |
| × <i>fayae</i> | 28 | |
| <i>Lythrum tribracteatum</i> | 325 | |
|  | | |
| Macaronesia | 213, 217, 218, 219, 220, | |
| | 221, 222, 223, 224, 225, | |
| | 226, 227, 228, 229, 230, | |
| | 231, 232, 448 | |
| <i>Macrothelypteris</i> | 363, 405 | |
| <i>torresiana</i> | 66, 407 | |
| Madagascar | 24, 88, 117, 136, 219 | |
| Madeira | 215, 216, 217, 219, 220, | |
| | | 221, 222, 224, 227, 228, |
| | | 229, 230, 231, 232, 234 |
| | | 209 |
| | | 14 |
| | | 313, 315 |
| | | 105, 197, 242, 394 |
| | | 272 |
| | | 205, 206, 207 |
| | | 16, 25, 131, 401, 441 |
| | | 131 |
| | | 26 |
| | | 73 |
| | | 114 |
| | | 123 |
| | | 143 |
| | | 16, 118, 282, 401 |
| | | 296 |
| | | 437 |
| | | 118 |
| | | 314 |
| | | 119 |
| | | 433, 437 |
| | | 319, 437 |
| | | 282 |
| | | 17, 25, 40, 47, 51, 56, |
| | | 57, 59, 60, 63, 67, 81, |
| | | 82, 84, 86, 89, 91, 96, |
| | | 100, 102, 110, 113, 115, |
| | | 117, 118, 305 |
| | | 88, 117 |
| | | 209 |
| | | 250 |
| | | 321 |
| | | 67, 470 |
| | | 12 |
| | | 123 |
| | | 242 |
| | | 34 |
| | | 319 |
| | | 295, 383, 434 |
| | | 205, 218, 221, 226, 274, |
| | | 420, 464 |
| | | 78 |
| | | 79 |
| | | 79 |
| | | 207 |
| | | 169, 171, 174, 205, 207 |
| | | 207 |
| | | 31, 38, 52, 54, 75, 79, |
| | | 99, 100, 101, 103, 178, |
| | | 179, 180, 181, 183, 186 |
| | | 177 |
| | | 411 |
| | | 439 |
| | | 87 |
| | | 70 |
| | | 70 |
| | | 75 |

| | | | |
|---------------------------------------|--|---|---|
| Menorca | 205 | Moanda | 126, 127, 140, 141 |
| <i>Mertensia bifida</i> | 30 | Moji Guaçu | 148 |
| <i>flexuosa</i> | 29 | Moluccas | 395 |
| <i>pectinata</i> | 30 | Monachosoraceae | 197 |
| <i>remota</i> | 31 | Moneylahan | 143 |
| Mesic environments | 272 | <i>Monogramma linearifolia</i> | 116 |
| Mesoamerica | 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 45, 47, 48, 49, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 74, 75, 76, 77, 78, 79, 80, 81, 83, 84, 85, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 108, 109, 110, 112, 113, 114, 115, 116, 117, 118, 119 | Mons Miyama | 127 |
| metaphase | 171 | Montserrat | 86, 90, 92, 305 |
| <i>Metasequoia glyptostroboides</i> | 396 | Morocco | 220 |
| Metaxyaceae | 16, 42, 272, 401 | moss carpet | 218 |
| <i>rostrata</i> | 42 | Mounana | 126, 138 |
| Mexico | 22, 64, 74, 95, 99, 100, 119, 212, 229, 245, 274, 400, 419, 439, 440, 441 | Moyen-Ogooué, | 125, 130 |
| <i>Microgonium ballardianum</i> | 134 | Mozambique | 313, 316 |
| <i>kapplerianum</i> | 37 | multivalents | 178, 179 |
| <i>Microgramma fuscopunctata</i> | 107 | <i>Muhlenbergia macroura</i> | 439 |
| <i>lycopodioides</i> | 107 | Munar | 184 |
| <i>owariensis</i> | 135 | <i>Myosurus minimus</i> | 325 |
| <i>persicariifolia</i> | 108 | <i>Myrica</i> | 224, 225 |
| <i>piloselloides</i> | 109 | Myrica-Pittosporum forest | 220, 221, 226, 230, 231 |
| <i>reptans</i> | 108 | Myrica-Pittosporum shrub | 231 |
| <i>squamulosa</i> | 149, 154, 155 | Myrtaceae | 214 |
| <i>tecta</i> | 109 |  | |
| <i>tobagensis</i> | 109, 120 | North America | 217, 221, 224, 227, 232 |
| <i>vacciniifolia</i> | 110 | Nadugani | 181 |
| <i>Microlepia speluncae</i> | 65, 135 | <i>Nannothelypteris</i> | 308 |
| <i>strigosa</i> var. <i>mauiensis</i> | 282 | National Herbarium of Trinidad and Tobago | 11, 15 |
| <i>Micropolypodium</i> | 201 | National Park | 279, 280, 281, 295, 315, 431, 470 |
| <i>Micropolypodium sikkimense</i> | 201, 202 | Natural Heritage Program | 292 |
| <i>taenifolium</i> | 117 | Natural History Museum London: | |
| <i>Microsorium</i> | 309 | see British Museum (BM) (Natural History) | |
| <i>membranaceum</i> | 177, 179, 186, 187 | natural pastures | 223, 227, 229, 230, 232 |
| <i>punctatum</i> | 135 | naturalis(z)ed | 11, 15, 21, 23, 58, 59, 67, 68, 72, 95, 112, 222, 224, 228, 231, 232, 245, 250 |
| microspores | 169, 171, 173, 207 | Nature Conservancy (USA) | 280 |
| microsporogenesis | 171, 172 | Nature reserve | 279, 444 |
| mid-Atlantic ridge | 213 | NatureServe | 291 |
| mining | 274 | NCCPG | 360 |
| Mississippi | 38 | Ndoumou | 128 |
| mitotic chromosomes | 177 | neophyte | 214, 234, 235 |
| | | neophytic pteridophytes | 234 |
| | | Neotropical Botany Conference, St Augustine, Trinidad, July 1962, | 6, 7 |
| | | Nepal | 186, 195, 196 |
| | | <i>Nephrodium leprieurii</i> | 69 |
| | | <i>nigrovenium</i> | 76 |
| | | <i>purdiaei</i> | 82 |
| | | <i>sherringiae</i> | 82 |
| | | <i>subquinqesfidum</i> var. <i>securidiforme</i> | 140 |
| | | <i>terminans</i> | 71 |
| | | <i>varians</i> | 84 |
| | | Nephrolepidaceae | 136, 363, 401, 441 |


| | | | |
|--|---|---|--|
| <i>Nephrolepis</i> | 231, 363 | Ophioglossaceae | 16, 24, 217, 282, 401 |
| <i>auriculata</i> | 435 | <i>Ophioglossum</i> | 315, 405 |
| <i>biserrata</i> | 94, 136, 305, 407 | <i>azoricum</i> | 217, 218, 234, 357, 452 |
| <i>cordifolia</i> | 94, 213, 231, 232, 407 | <i>costatum</i> | 24 |
| <i>exaltata</i> | 95 | <i>lusitanicum</i> | 217, 218, 343, 357, 452 |
| <i>exaltata</i> var. <i>bostoniensis</i> | 95 | <i>macrorrhizum</i> | 24 |
| <i>hirsutula</i> | 407 | <i>nudicaule</i> | 406 |
| <i>multiflora</i> | 95, 178, 182 | <i>palmatum</i> | 24 |
| <i>rivularis</i> | 95 | <i>polyphyllum</i> | 452 |
| <i>undulata</i> | 136 | <i>reticulatum</i> | 24, 406 |
| Nevis | 92 | <i>vulgatum</i> | 357 |
| New Guinea | 196, 197, 395, 421, 463 | Orchidaceae | 270, 296 |
| New Phytologist Trust | 253, 268 | <i>Oreopteris limbosperma</i> | 235, 357, 377 |
| New World | 58, 59, 67, 68, 72, 88, 112, 118 | ornamental | 51, 52, 53, 88, 215, 234 |
| New York Botanical Garden | 12, 120 | <i>Osmunda</i> | 200, 363 |
| New Zealand | 201, 219, 220, 227, 232, 272, 273, 394, 420 | <i>cervina</i> | 84 |
| Nicaragua | 40, 119 | <i>cinnamomea</i> | 149, 156, 157, 158, 159, 160, 161, 162, 163 |
| Nigeria | 128 | <i>hirsuta</i> | 27 |
| Nilgiris | 177, 178, 179, 180, 181, 183, 184, 185, 187, 202 | <i>phyllitidis</i> | 27 |
| <i>Niphidium crassifolium</i> | 110 | <i>regalis</i> | 149, 154, 156, 157, 160, 161, 162, 163, 218, 284, 357, 371 |
| Norfolk Is., | 220, 394 | Osmundaceae | 218, 363, 393, 401 |
| North America | 12, 144, 169, 245 | <i>Osmundastrum asiaticum</i> | 319, 321 |
| <i>Nothofagus cunninghamii</i> | 390 | <i>claytonianum</i> | 322 |
| <i>Notholaena marantae</i> | 319 | <i>Oxycaryum</i> | 8 |
| <i>nivea</i> | 298 |  | |
| <i>pohliana</i> | 298 | Pacific countries | 196 |
| <i>Nothoperanema hendersonii</i> | 311 | Pacific Islands | 56, 67, 72, 84, 88 |
| Number of species (of ferns) | 266, 270, 274, 282, 290, 295, 308, 319, 356, 398, 400, 420, 429, 431, 440, 441, 452, 455, 463, 467, 470 | <i>Paesia glandulosa</i> | 298 |
| nutrients | 287 | <i>Palhinhaea cernua</i> | 216 |
|  | | Panama | 31, 43, 69, 76, 79, 81, 91, 92, 93, 94, 99, 101, 108, 116, 117, 119, 212, 394, 400 |
| octoploid | 100, 177, 178, 179, 181, 182, 183, 187 | <i>Pandanus tectorius</i> | 408 |
| Ogooué-Lolo | 125, 126, 128 | Papua New Guinea: see New Guinea | |
| oil palms | 133, 136 | Pará, | 209 |
| Okondja | 128 | Paraguay | 8, 110, 111, 123, 444 |
| Okoumé, | 125 | <i>Parahemionitis arifolia</i> | 178, 179, 180 |
| Old World | 47, 57, 59, 69, 94, 218, 221, 224, 229 | <i>Parkeria lockhartii</i> | 55 |
| Oleandraceae | 136, 231, 401 | <i>pteridoides</i> | 55 |
| <i>articulata</i> | 96 | Parkeriaceae | 132 |
| <i>distenta</i> | 136 | passenger pigeon | 276 |
| <i>pilosa</i> | 96 | PCR | 181, 336, 436 |
| <i>trinitensis</i> | 96 | <i>Pecluma plumula</i> | 110 |
| <i>Olfersia cervina</i> | 84 | <i>ptilodon</i> | 149, 156, 157, 158, 159, 160, 161, 162, 163, 164 |
| <i>lingua</i> | 91 | <i>ptilodon</i> var. <i>pilosa</i> | 111 |
| <i>Oligadenus periens</i> | 282 | <i>Pellaea angolensis</i> | 314 |
| <i>Onoclea</i> | 250, 363 | <i>angulosa</i> | 316 |
| <i>Onychium japonicum</i> | 219 | <i>atrovirens</i> | 133 |
| | | <i>calomelanos</i> | 218, 219 |
| | | <i>crenata</i> | 298 |
| | | <i>cymbiformis</i> | 298 |

| | | | |
|---|---|--|---|
| <i>doniana</i> | 132, 192 | Plagiogyraceae | 401 |
| <i>geraniaefolia</i> | 299 | Planta Europa | 283 |
| <i>glychenoides</i> | 298 | Plantfinder's Guide to Garden Ferns, The | 146 |
| <i>goudotii</i> | 132 | Plantlife | 267, 466 |
| <i>holstii</i> | 132 | <i>Platycterium alcicorne</i> | 316 |
| <i>longipilosa</i> | 315 | <i>elephantotis</i> | 316 |
| <i>pectiniformis</i> | 132 | <i>grande</i> | 310 |
| <i>riedellii</i> | 298 | <i>stemaria</i> | 134 |
| <i>viridis</i> | 218, 219 | Pleistocene: see Glaciation | |
| Peña-Chocarro | 123 | <i>Pleopeltis</i> | 156 |
| perispore | 150, 151, 156, 157 | <i>Pleopeltis angusta</i> | 149, 150, 155, 156, 157 |
| Peru | 59, 98, 109, 114, 116, 400 | <i>astrolepis</i> | 112 |
| <i>Phalaris tuberosa</i> | 325 | <i>latipes</i> | 155 |
| <i>Phegopteris connectilis</i> | 357 | <i>Pleurosoriopsis makinoi</i> | 320 |
| <i>refulgens</i> | 76 | ploidy level | 184 |
| Philippines | 131, 196, 197, 242, 307, 394, 421, 429 | <i>Pneumatopteris afra</i> | 138 |
| <i>Phlebodium aureum</i> | 111 | <i>costata</i> | 406 |
| <i>decumanum</i> | 111 | Poaceae | 270 |
| <i>Phormium tenax</i> | 411 | <i>Podosorus</i> | 308 |
| <i>Phyllitis sagittata</i> | 428 | Poland | 371 |
| <i>scolopendrium</i> | 226, 319 | pollen | 147, 150, 151, 152 |
| Phylogeography | 335 | pollen rain | 147 |
| <i>Phymatodes prominula</i> | 107 | <i>Polybotrya caudata</i> | 12, 85 |
| <i>Phymatosorus</i> | 250 | <i>cervina</i> | 84 |
| <i>commutatus</i> | 406 | <i>osmundacea</i> | 85 |
| <i>powellii</i> | 406 | <i>serrata</i> | 86 |
| <i>scolopendria</i> | 112, 135, 405, 407 | <i>serratifolia</i> | 86 |
| physiological ecology | 5 | Polymerase Chain Reaction: see PCR | |
| phytochemistry | 194 | Polynesia | 59, 98, 196, 221, 229 |
| Pico Island | 215 | polyploid | 187, 207 |
| <i>Pilularia</i> | 284 | polyploidy | 177, 187 |
| <i>americana</i> | 297 | Polypodiaceae | 13, 16, 105, 134, 222, 282, 363, 400, 441 |
| <i>globulifera</i> | 321, 343, 357, 419, 437, 466 | Polypodiopsida | 16 |
| <i>minuta</i> | 420, 437 | <i>Polypodium</i> | 363, 400 |
| <i>Pinus patula</i> | 315 | <i>abruptum</i> | 67 |
| <i>radiata</i> | 390, 446 | <i>asplenifolium</i> | 115 |
| <i>Pinus sp.</i> | 148 | <i>astrolepis</i> | 112 |
| Pitcairn Is., | 404 | <i>aureum</i> | 111, 364 |
| Pittosporaceae | 214 | <i>australe</i> | 222, 357 |
| <i>Pittosporum</i> | 214, 220, 221, 224, 226, 228, 230, 231, 232 | <i>australe</i> subsp. <i>azoricum</i> | 222 |
| <i>undulatum</i> | 214 | <i>azoricum</i> | 222, 223, 234 |
| <i>Pityrogramma aurantica</i> | 316 | <i>balbisii</i> | 67 |
| <i>calomelanos</i> | 56, 132, 149, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 305 | <i>bicuspe</i> | 197 |
| <i>calomelanos</i> var. <i>aureoflava</i> | 235 | <i>binervatum</i> | 103 |
| <i>chrysophylla</i> | 57, 235 | <i>brevifolium</i> | 105 |
| <i>trifoliata</i> | 149, 154, 156, 157, 158, 159, 162, 163, 164 | <i>ciliatum</i> | 108 |
| <i>Plagiogyra fialhoi</i> | 298 | <i>cordifolium</i> | 94 |
| <i>glauca</i> | 195, 196 | <i>costatum</i> | 106 |
| <i>glaucescens</i> | 196 | <i>crassifolium</i> | 110 |
| <i>glaucescens</i> var. <i>arguta</i> | 196 | <i>decumanum</i> | 111 |
| <i>matsumurana</i> | 320 | <i>decussatum</i> | 67 |
| | | <i>dentatum</i> | 137 |
| | | <i>dissimile</i> | 112 |
| | | <i>divergens</i> | 78 |
| | | <i>dulce</i> | 113 |
| | | <i>fauriei</i> | 320 |
| | | <i>fernandense</i> | 141 |







| | | | |
|--|--|---|--|
| <i>fraxinifolium</i> | 149, 155, 156, 157, 158, 159, 160, 161, 162, 163 | <i>trifoliatum</i> | 82 |
| <i>fuscopunctatum</i> | 107 | <i>triseriale</i> | 114 |
| <i>glandulosum</i> | 68 | <i>vacciniifolium</i> | 110 |
| <i>helleri</i> | 282 | <i>vulgare</i> | 222, 357 |
| <i>hirsutissimum</i> | 149, 154, 155 | <i>vulgare</i> subsp. <i>azoricum</i> | 222 |
| <i>hombersleyi</i> | 115 | <i>wallii</i> | 239, 243 |
| <i>interjectum</i> | 357 | <i>Polystichum</i> | 195, 293, 363 |
| <i>latipes</i> | 149, 150, 151, 155, 156, 157, 158, 159, 160, 161, 162, 163 | <i>acrostichoides</i> | 229, 250 |
| <i>latum</i> | 105 | <i>aculeatum</i> | 229, 247, 248, 250, 357, 377, 452 |
| <i>linearis</i> | 134 | <i>bradei</i> | 298 |
| <i>loriceum</i> | 113 | <i>lonchitis</i> | 250, 357, 427 |
| <i>lycopodioides</i> | 107 | <i>munitum</i> | 245, 247, 248, 249, 250 |
| <i>macaronesicum</i> | 167, 222 | <i>setiferum</i> | 229, 245, 247, 248, 249, 250, 319, 357, 452 |
| <i>mediale</i> | 239, 242 | <i>torresianum</i> | 66 |
| <i>microdontum</i> | 45 | × <i>bicknellii</i> | 250 |
| <i>mollissimum</i> | 116 | × <i>lesliei</i> | 245, 246, 247, 248, 249, 250 |
| <i>moultonii</i> | 239, 243 | × <i>lonchitifforme</i> | 250 |
| <i>nematorhizon</i> | 107 | <i>Polytaenium cajenense</i> | 60 |
| <i>oligocarpum</i> | 71 | <i>dussianum</i> | 60 |
| <i>oppositum</i> | 71 | <i>feeii</i> | 61 |
| <i>owariense</i> | 135 | population growth | 269 |
| <i>patens</i> | 72 | <i>Populus</i> | 222, 231 |
| <i>pennatum</i> | 73 | Portugal | 144, 151, 191, 193, 213, 216, 217, 220, 222, 223, 225, 227, 229, 232 |
| <i>persicariifolium</i> | 108 | Poubara falls | 127 |
| <i>phyllitidis</i> | 106 | precipitation | 150, 151, 152, 214 |
| <i>plantagineum</i> | 81 | precipitation map | 234 |
| <i>plumula</i> | 110 | Príncipe | 191, 192, 193 |
| <i>polypodioides</i> | 114 | <i>Pronephrium</i> | 309 |
| <i>polypodioides</i> var. <i>minus</i> | 149, 154, 155 | <i>articulatum</i> | 178, 184 |
| <i>propinquum</i> | 134 | <i>triphyllum</i> | 184 |
| <i>ptilodon</i> var. <i>pilosum</i> | 111 | <i>Prosaptia barathrophylla</i> | 242 |
| <i>pungens</i> | 45 | <i>ceylanica</i> | 239, 242 |
| <i>quadripinnatum</i> | 42 | <i>contigua</i> | 244 |
| <i>repens</i> | 74, 106 | <i>fuscopilosa</i> | 242 |
| <i>reptans</i> | 74 | <i>khasyana</i> | 242 |
| <i>Polypodium richardii</i> | 114 | <i>mediale</i> | 242, 243 |
| <i>rigidum</i> | 93 | prothalli | 285 |
| <i>rivulare</i> | 95 | <i>Protowoodsia manchuriensis</i> | 196 |
| <i>scolopendria</i> | 112, 135 | <i>Pseudocyclosorus tylodes</i> | 184 |
| <i>semicordatum</i> | 77 | pseudoindusia | 210, 211 |
| <i>sikkimense</i> | 202 | Psilotaceae | 16, 17 |
| <i>sloanei</i> | 76 | Psilotopsida | 16 |
| <i>sororium</i> | 113 | <i>Psilotum</i> | 266 |
| <i>speluncae</i> | 65, 135 | <i>nudum</i> | 17, 406 |
| <i>subfalcatum</i> | 243 | <i>Psiomocarpa</i> | 308 |
| <i>subfalcatum</i> var. <i>glabrum</i> | 243 | Pteridaceae | 16, 47, 133, 209, 220, 282, 291, 363, 400 |
| <i>subincisum</i> | 79 | <i>Pteridium</i> | 273 |
| <i>suspensum</i> | 117 | <i>aquilinum</i> | 135, 149, 194, 223, 234, 247, 321, 357, 377 |
| <i>taenifolium</i> | 117 | <i>aquilinum</i> var. <i>arachnoideum</i> | 65 |
| <i>taxifolium</i> | 118 | <i>aquilinum</i> subsp. <i>aquilinum</i> | 135 |
| <i>tectum</i> | 109 | | |
| <i>tenuiculum</i> | 118 | | |
| <i>tetragonum</i> | 75 | | |
| <i>thwaitesii</i> | 239, 243 | | |
| <i>tobagense</i> | 109 | | |
| <i>tottum</i> | 223 | | |

| | | | |
|---|---------------|---|--|
| <i>aquilinum</i> var. <i>arachnoideum</i> | 155 | Puerto Rico | 17, 27, 28, 32, 40, 41, 42, 46, 53, 81, 103, 112, 301, 394 |
| <i>arachnoideum</i> | 65 | <i>Pycreus</i> | 8 |
| <i>pinetorum</i> | 194 | <i>Pyrrosia serpens</i> | 405, 407 |
| <i>tauricum</i> | 194 |  | |
| Pteridium toxicity | 200 | Quillwort | 169, 171, 174, 205, 207 |
| Pteridophyte Biogeography Symposium | 238 |  | |
| Pteridophyte Specialist Group | 267, 275, 417 | rainfall | 150, 151, 238 |
| pteridophyte distribution | 125 | rainfall patterns | 238 |
| pteridophytes: number of species: | | <i>Ranunculus marginatus</i> | 325 |
| see number of species | | <i>tripartitus</i> | 437 |
| <i>Pteris</i> | 250, 273, 363 | RAPD (Random Amplification of Polymorphic DNA), | 181 |
| <i>angustifolia</i> | 61 | rare fern | 281, 313, 319, 322, 350, 357, 393, 403, 430, 441, 448, 452 |
| <i>aquilina</i> | 223 | Red Book of RSFR | 319, 322 |
| <i>aquilinum</i> | 135 | Red List | 275, 310, 317, 393, 403, 405, 417, 420, 442, 462, 469 |
| <i>arachnoidea</i> | 65 | <i>Regnellidium diphyllum</i> | 297 |
| <i>arborea</i> | 57 | regression analysis | 302 |
| <i>atrovirens</i> | 133 | reintroduction | 283, 346, 350, 371, 418, 429, 433, 456, 466 |
| <i>burtoni</i> | 128, 133 | <i>Remirea</i> | 8 |
| <i>commutata</i> | 128, 133 | Reserva Biológica e Estação Experimental | 147 |
| <i>cornuta</i> | 132 | Réserve de la Lopé, | 125, 132, 138 |
| <i>cretica</i> | 235 | rheophyte | 241 |
| <i>currori</i> | 136 | rice fields | 119 |
| <i>gigantea</i> | 57 | Royal Botanic Gardens Kew | 12, 127 |
| <i>grandiflora</i> | 299 | Royal Holloway College | 3 |
| <i>grandifolia</i> | 58 | Rubiaceae | 5 |
| <i>haenkeana</i> | 299 | <i>Rumohra adiantiformis</i> | 296 |
| <i>hamulosa</i> | 133 | Russia | 194, 196, 286, 319 |
| <i>hartiana</i> | 57 |  | |
| <i>inaequalis</i> | 58 | SABONET | 317 |
| <i>incisa</i> | 136 | <i>Saccoloma elegans</i> | 66 |
| <i>incompleta</i> | 220, 221, 452 | <i>inaequale</i> | 66 |
| <i>lidgatei</i> | 282 | <i>Salpichlaena volubilis</i> | 105, 149, 155, 164 |
| <i>lineata</i> | 62 | <i>Salvinia auriculata</i> | 119 |
| <i>longifolia</i> | 59 | <i>nymphellula</i> | 141 |
| <i>lucida</i> | 49 | <i>sprucei</i> | 119 |
| <i>mildbreadii</i> | 133 | Salviniaceae | 16, 119, 141, 401 |
| <i>multifida</i> | 58, 235 | <i>Samanea saman</i> | 5 |
| <i>multiserialis</i> | 57 | Samoa | 57, 67 |
| <i>palustris</i> | 220 | Santa Maria Island | 215 |
| <i>paucipinnata</i> | 192 | São Jorge Island | 215 |
| <i>pearcei</i> | 299 | São Miguel Island | 215 |
| <i>pteridioides</i> | 192 | São Paulo | 65, 147, 148 |
| <i>pungens</i> | 58 | São Tomé, | 191, 193 |
| <i>repens</i> | 132 | Sarawak | 273, 395 |
| <i>similis</i> | 133 | | |
| <i>tremula</i> | 220, 221 | | |
| <i>tripartita</i> | 59 | | |
| <i>viridis</i> | 218 | | |
| <i>vittata</i> | 59, 220, 221 | | |
| <i>Pterozonium macguirei</i> | 299 | | |
| <i>scopulinum</i> | 299 | | |
| pubescence | 184, 240 | | |
| public awareness | 269, 271 | | |

| | | | |
|-----------------------------------|---|---|---|
| Sardinia | 217 | self-sown spores | 245 |
| Savanna(h) | 19, 27, 52, 64, 125, 128, 131, 135, 136, 148 | <i>Senecio paludosus</i> | 437 |
| Scanning Electron Microscope | 170, 325, 372 | sexual reproduction | 179, 207 |
| <i>Sceptridium subbifoliatum</i> | 282 | Seychelles | 395 |
| <i>Schizaea elegans</i> | 29, 441 | Siberia | 194, 319 |
| <i>pennula</i> | 26 | Sichuan | 195, 196, 197 |
| Schizaceae | 16, 131, 401, 441 | Sicily | 216, 232 |
| <i>Schoenoplectus</i> | 8 | Sierra Leone | 131 |
| <i>Schoenus</i> | 8 | Sikkim | 187, 195, 196 |
| <i>Scirpus</i> | 8 | Singapore Botanic Garden | 52 |
| <i>Scleria</i> | 8 | Site of Special Scientific Interest | 341 |
| <i>Scleroglossum sulcatum</i> | 244 | Sligo | 143 |
| <i>Scolopendrium officinarum</i> | 226 | Sloan, Sir Hans, Jamaican Plant Collections | 9 |
| <i>lobatum</i> | 227 | SMCs | 178, 179, 183, 184, 187 |
| <i>officinale</i> | 226 | Society Islands | 119 |
| Scotland | 28, 108, 111, 144 | Sokal distance | 451 |
| Scottish Natural Heritage | 267, 381 | South America | 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 45, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 87, 88, 89, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119 |
| <i>Selaginella</i> | 14, 291, 293, 363, 400 | South Carolina | 34 |
| <i>broadwayi</i> | 19 | South India | 177, 178, 179, 183, 184, 185, 186, 187, 201 |
| <i>cathedrifolia</i> | 131 | SouthAmerica | 26, 219, 220, 229 |
| <i>cruegeri</i> | 23 | southeast Asia | 21 |
| <i>denticulata</i> | 217 | Spain | 112, 143, 144, 220, 222, 223, 224, 228, 229, 230, 232, 428, 433, 438, 446 |
| <i>diffusa</i> | 20 | speciation patterns | 174 |
| <i>flagellata</i> | 20 | Species Survival Commission | 269, 271, 274, 275, 278, 417, 469 |
| <i>hartii</i> | 21 | spermatophyte | 234 |
| <i>kraussiana</i> | 217, 234 | <i>Sphaerocionium elegans</i> | 33 |
| <i>lemairei</i> | 23 | <i>hirsutum</i> | 33 |
| <i>leptophylla</i> | 419 | × <i>tucuchense</i> | 34 |
| <i>maracasensis</i> | 19 | <i>Sphaeropteris cooperi</i> | 222, 223, 235 |
| <i>molleri</i> | 192 | <i>gardneri</i> | 296 |
| <i>molliceps</i> | 131 | <i>horrida</i> | 439 |
| <i>muscosa</i> | 21 | <i>stigmosa</i> | 44 |
| <i>myosorus</i> | 131 | <i>Sphaerostephanos</i> | 309 |
| <i>othmeri</i> | 20 | <i>arbuscula</i> | 130 |
| <i>plana</i> | 21 | <i>arbuscula</i> ssp. <i>africanus</i> | 138 |
| <i>porelloides</i> | 22 | | |
| <i>producta</i> | 22 | | |
| <i>purdiei</i> | 20 | | |
| <i>selaginoides</i> | 452 | | |
| <i>simplex</i> | 22 | | |
| <i>subisophylla</i> | 314, 315 | | |
| <i>substipitata</i> | 22 | | |
| <i>sylvestris</i> | 365 | | |
| <i>tenella</i> | 23 | | |
| <i>tenerrima</i> | 131 | | |
| <i>tobagensis</i> | 22 | | |
| <i>umbrosa</i> | 23 | | |
| <i>ulcinata</i> | 365 | | |
| <i>versicolor</i> | 131 | | |
| <i>viticulosa</i> | 23 | | |
| <i>vogelii</i> | 131 | | |
| <i>volubilis</i> | 314 | | |
| Selaginellaceae | 16, 19, 131, 217, 363, 400, 441 | | |
| <i>Selenodesmium cupressoides</i> | 134 | | |
| <i>guineense</i> | 134 | | |
| <i>rigidum</i> | 41 | | |

| | | | |
|--|--|--|--|
| Sphagnum | 216 | Tasmania | 232 |
| spleenwort | 186 | Taxodiaceae | 214 |
| sporangia | 123, 171, 177, 179, 187, 240, 241, 242, 248 | <i>Taxus baccata</i> | 247 |
| spore | 147, 148, 150, 151, 153, 154, 155, 156, 157, 158, 159, 160, 161, 163, 164, 169, 170, 178, 179, 186, 187, 200, 211, 140, 241, 242, 250 | tea bushes | 181 |
| spore bank | 148, 162, 163, 164, 165, 283, 362, 428, 433, 445 | <i>Tectaria</i> | 127, 363 |
| spore exchanges | 167 | <i>fernandensis</i> | 130, 141 |
| spore grains | 147 | <i>heracleifolia</i> | 79 |
| spore length | 224 | <i>incisa</i> | 79, 80, 81, 83 |
| spore mother cells | 179, 180 | <i>incisa</i> subsp. <i>transiens</i> | 81 |
| spore ornamentation | 171, 174 | <i>magnifica</i> | 130 |
| spore rain | 147, 148, 150, 151, 152, 153, 154, 155, 158, 161, 162, 163, 164, 165 | <i>orbicularis</i> | 80 |
| spore storage: see spore bank | | <i>plantaginea</i> var. <i>confluens</i> | 81 |
| spore trap | 164 | <i>plantaginea</i> var. <i>macrocarpa</i> | 81 |
| S-Ranks | 291 | <i>plantaginea</i> var. <i>plantaginea</i> | 81 |
| Sri Lanka | 184, 185, 201, 202, 239, 240, 241 | <i>ramkissoonii</i> | 81 |
| St. Helena | 411, 422 | <i>transiens</i> | 81 |
| St. Lucia | 305 | <i>trifoliata</i> | 81 |
| St. Kitts | 91, 92 | <i>trinitensis</i> | 82 |
| St. Thomas | 301 | <i>vivipara</i> | 79, 82 |
| St. Vincent | 39, 44, 87, 90, 107, 305 | × <i>bulbifera</i> | 79 |
| <i>Stegnogramma pozoi</i> | 178, 183, 223, 224, 446 | Tectariaceae | 16, 76 |
| <i>Stenochlaena guineensis</i> | 139 | <i>Tectaridium</i> | 308 |
| sterile fronds | 109, 128, 129 | telescope | 214 |
| <i>Stigmatopteris rotundata</i> | 86 | temperature | 150, 151, 238 |
| <i>rotundata</i> var. <i>trinidadensis</i> | 86 | Terceira Island | 215 |
| stomata | 170 | terminal buds | 130 |
| <i>Struthiopteris regalis</i> | 218 | <i>Terpsichore asplenifolia</i> | 115 |
| Sudan | 128, 133 | <i>bradeana</i> | 299 |
| Sulawesi | 242, 395, 431 | <i>mollissima</i> | 116 |
| Sumatra | 242, 395 | <i>taxifolia</i> | 118 |
| Surinam | 40, 42, 43, 59, 63, 82, 92 | Tertiary period | 320 |
| Surrey | 245, 247, 248, 249 | tetraploid | 31, 79, 81, 83, 99, 167, 169, 171, 174, 177, 178, 180, 181, 182, 183, 184, 185, 186, 187, 231 |
| sustainable (e.g. management), | 5, 272, 279, 388, 417, 434 | Thailand | 242 |
| Switzerland | 465 | Thelypteridaceae | 16, 66, 137, 223, 282, 363, 400 |
| sword fern | 250 | <i>Thelypteris</i> | 13, 150, 157 |
| Syria | 324 | <i>abrupta</i> | 67 |
| systematics | 5 | <i>balbisii</i> | 67 |
| <i>Syzygium jambos</i> | 408 | <i>brevisora</i> | 149 |
|  | | <i>chrisodioides</i> | 154, 156, 157, 160, 161, 162, 163, 164 |
| <i>Taenitis desvauxii</i> | 106 | <i>decussata</i> | 67 |
| Tahiti | 67, 72 | <i>dentata</i> | 68, 149, 156, 157 |
| Taiwan | 165, 169, 174, 175, 196, 197, 229, 335 | <i>dutrai</i> | 156, 157 |
| Tanzania | 56, 130, 132, 137, 139 | <i>glandulosa</i> | 68 |
| | | <i>guyanensis</i> | 70 |
| | | <i>hispidula</i> | 69 |
| | | <i>interrupta</i> | 69, 149, 156, 157 |
| | | <i>leprieurii</i> | 69 |
| | | <i>linkiana</i> | 149 |
| | | <i>longifolia</i> | 149, 156, 157 |
| | | <i>macrophylla</i> | 70 |
| | | <i>nephrodioides</i> | 70 |

| | | | |
|--|--|---|---|
| <i>nesiotica</i> | 70 | <i>diaphanum</i> | 36 |
| <i>oligocarpa</i> | 71 | <i>diversifrons</i> | 36 |
| <i>opposita</i> | 71 | <i>elegans</i> | 36 |
| <i>opulenta</i> | 71 | <i>emarginatum</i> | 149, 155 |
| <i>palustris</i> | 284, 357 | <i>enderlichianum</i> | 406 |
| <i>patens</i> var. <i>patens</i> | 72 | <i>erosum</i> | 193 |
| <i>patens</i> var. <i>smithiana</i> | 72 | <i>fimbriatum</i> | 41 |
| <i>paucijuga</i> | 73, 75 | <i>fucoides</i> | 33 |
| <i>pennata</i> | 73 | <i>guidoi</i> | 299 |
| <i>poiteana</i> | 74, 75 | <i>guineense</i> | 134 |
| <i>pozoi</i> | 223 | <i>hirsutum</i> | 33 |
| <i>reptans</i> | 74 | <i>hymenoides</i> | 37 |
| <i>rivularioides</i> | 149, 156, 157 | <i>hymenophylloides</i> | 36 |
| <i>serrata</i> | 75, 149, 156, 157 | <i>kapplerianum</i> | 37 |
| <i>tetragona</i> | 75 | <i>krausii</i> | 37 |
| × <i>rolandii</i> | 74, 75 | <i>labiatum</i> | 40 |
| × <i>tabaquitensis</i> | 75, 120 | <i>mannii</i> | 134 |
| Thin Layer Chromatography (TLC) | | <i>membranaceum</i> | 38 |
| | 185 | <i>orientale</i> | 319 |
| <i>Thyrsopteris</i> | 393 | <i>osmundoides</i> | 38 |
| <i>elegans</i> | 395, 397 | <i>pedicellatum</i> | 38 |
| Tibet | 195, 196 | <i>pellucens</i> | 39 |
| Tiffany Bates | 9 | <i>pinnatinervium</i> | 39 |
| Tirunelveli Hills | 184 | <i>pinnatum</i> | 39 |
| tissue culture | 363, 435 | <i>polyanthos</i> | 34 |
| Tobago | 11, 12, 13, 14, 15, 16, 22, 23, 62, 91, 98, 99, 109, 120, 302 | <i>polypodioides</i> | 40 |
| <i>Todea barbara</i> | 393 | <i>punctatum</i> subsp. <i>labiatum</i> | 40 |
| Top-50 list | 274, 418, 420 | <i>punctatum</i> subsp. <i>punctatum</i> | 40 |
| Tortola | 40 | <i>punctatum</i> subsp. <i>sphenoides</i> | 40 |
| <i>Torulinium</i> | 8 | <i>radicans</i> | 193, 222 |
| tourism | 274, 278, 279, 280, 302, 391, 440 | <i>reptans</i> | 41 |
| <i>Trachypteris pinnata</i> | 298 | <i>rigidum</i> | 41 |
| trade (in ferns) | 296, 383, 389, 407, 419, 434, 439, 440 | <i>rupestre</i> | 41 |
| translocation: see introduction | | <i>schmidianum</i> | 187 |
| tree fern(s), | 34, 40, 103, 146, 148, 155, 273, 274, 281, 296, 311, 314, 317, 363, 388, 393, 434, 436, 439 | <i>speciosum</i> | 221, 222, 225, 343, 344, 357, 377, 424 |
| <i>Trematodon latinervis</i> | 408 | <i>sphenoides</i> | 41 |
| <i>Trichipteris</i> sp. | 47 | <i>spicatum</i> | 38 |
| <i>Trichomanes accedens</i> | 35 | <i>tahitense</i> | 405, 406 |
| <i>accedens</i> var. <i>trinitense</i> | 39 | <i>trigonum</i> | 41, 42 |
| <i>africanum</i> | 134 | <i>tunbri(d)gense</i> | 221 |
| <i>angustifrons</i> | 35 | <i>Trigonospora</i> | 272 |
| <i>ankersii</i> | 35 | <i>caudipinna</i> | 177, 178, 184, 186 |
| <i>arbuscula</i> | 35 | trilete spore | 151 |
| <i>asplenoides</i> | 32 | Trinidad | 4, 5, 8, 11, 12, 13, 14, 15, 16, 17, 19, 20, 21, 23, 25, 31, 33, 35, 41, 42, 43, 45, 46, 47, 48, 49, 51, 53, 54, 55, 57, 58, 59, 60, 61, 63, 65, 67, 69, 71, 73, 75, 77, 78, 79, 80, 81, 83, 85, 87, 88, 89, 91, 93, 95, 96, 97, 98, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 120, 121, |
| <i>ballardianum</i> | 134 | | |
| <i>chaerophylloides</i> | 136 | | |
| <i>contiguum</i> | 239, 244 | | |
| <i>crispiforme</i> | 133 | | |
| <i>crispum</i> | 35 | | |
| <i>cristatum</i> | 149, 155 | | |
| <i>cupressoides</i> | 134 | | |

| | | | |
|--|--|---|-------------------------|
| | 212, 302 | vertical distribution | 196 |
| triploid | 31, 32, 54, 75, 79, 99, 100, 101, 177, 178, 179, 180, 187 | Victorian | 167, 247 |
| <i>Triplophyllum</i> | 83, 125, 127, 130 | Victorian fern craze | 276, 344, 350, 360 |
| <i>buchholzii</i> | 130, 140 | Vietnam | 242, 335 |
| <i>funestum</i> | 83 | Virgin Islands | 40, 53, 301 |
| <i>gabonense</i> | 140 | <i>Vittaria costata</i> | 61 |
| <i>jenseniae</i> | 130, 140 | <i>elongata</i> | 406 |
| <i>pilosissimum</i> | 140 | <i>ensiformis</i> | 315 |
| <i>protensum</i> | 83, 140 | <i>graminifolia</i> | 62 |
| <i>securidiforme</i> | 140 | <i>guineensis</i> | 133 |
| <i>troupinii</i> | 141 | <i>lineata</i> | 62 |
| <i>varians</i> | 141 | <i>owariensis</i> | 133 |
| <i>vogelii</i> | 141 | <i>sulcata</i> | 239, 244 |
| triradial aperture | 206 | Vittariaceae | 16, 59, 133, 401 |
| Tropical America | 24 | volcano | 301 |
| Truskmore | 143, 144 | voucher specimens | 11 |
| Turkey | 230, 324 |  | |
|  | | Walker, T.G. | 12 |
| Uganda | 128, 132, 138 | waterfall splash zone | 136 |
| <i>Ugena microphylla</i> | 131 | Websteria | 8 |
| U.S. Fish and Wildlife Service | 291 | weed | 194, 223 |
| United Kingdom: see British Isles | | West Pennsylvania Nature Cons. | 292 |
| United States | 19, 34, 55, 58, 59, 67, 68, 72, 103, 104, 119, 290, 420 | Western Ghats | 180, 181 |
| univalents | 27, 100, 178, 179 | western Himalaya | 184 |
| Universal Transverse Mercator-Projection (UTM), | 214 | Wildlife & Countryside Act | 341, 344, 356, 438, 442 |
| University College of the Gold Coast | 2 | wind dispersal | 301 |
| University of California Herbaria Berkeley | 120 | winter drought | 148, 151 |
| University of the West Indies (Jamaica) | 4, 11 | <i>Woodsia</i> | 322 |
|  | | <i>alpina</i> | 343, 357 |
| <i>Vaccinium</i> | 231 | <i>ilvensis</i> | 343, 350, 357, 419, 427 |
| <i>cylindraceum</i> | 448 | <i>kangdingensis</i> | 196 |
| <i>myrtilis</i> | 450 | <i>manchuriensis</i> | 195, 196 |
| <i>Vandenboschia hymenophylloides</i> | 36 | Woodsiaceae | 16, 86, 138, 227 |
| <i>speciosa</i> | 221, 452 | <i>Woodwardia radicans</i> | 232, 445, 446 |
| vegetative propagation | 179 | World Comm. on Protected Areas | 278, 417 |
| Venezuela | 12, 18, 21, 22, 23, 28, 32, 39, 40, 42, 43, 44, 46, 47, 53, 57, 71, 73, 74, 76, 78, 82, 83, 84, 86, 87, 90, 91, 98, 99, 100, 101, 111, 112, 115, 116, 118, 119, 302, 400, 421 | World Heritage Site | 280, 283, 404, 419 |
| | | World Parks Congress | 278 |
| | |  | |
| | | <i>Xiphopteris serrulata</i> | 117 |
| | | <i>sikkimensis</i> | 202 |
| | |  | |
| | | Yangtze River | 197 |
| | | Yunnan | 196 |
| | |  | |
| | | Zaire | 128 |
| | | Zambia | 128, 132, 313 |
| | | Zimbabwe | 313, 314, 315 |
| | | Zingiberaceae | 214 |

AUTHOR INDEX

Pages 254 and following report the proceedings of the International Symposium: Fern Flora Worldwide: Threats and Responses, Guildford, 23-26 July 2001. Authors of posters or abstracts are indicated by (P) or (A) following the respective page numbers.



Acock, P.J. 245-251
 Aguiar, S. 426(P)
 Aguraituja, R. 330-334, 427(P)
 Amigo, J. 426(P), 445(P),
 446-447(P)



Baksh-Comeau, Y.S. 11-122
 Ballesteros, D. 428(P)
 Barcelona, J.F. 307-312, 429(P)
 Barrett, J.A. 448(P), 449(P), 464(A)
 Barros, I.C.L. 430(P)
 Benallick, I. 245-251
 Bir, S.S. 177-190
 Bostock, P. 467(A)
 Burrows, J. 313-318



Camus, J. 238
 (Book reviewer), 431(P)
 Chaerle, P. 432(P)
 Cheng, Y.P. 335-340
 Chiang, T.Y. 335-340
 Chiang, Y.C. 335-340
 Chinnery, L.E. 301-306
 Chiou, W.L. 335-340
 Chou, C.H. 335-340
 Cooke, R.J. 341-349
 Croft, J. 467(A)
 Cronk, Q. 411-412
 Curtis, T. 456-457(P)



D'Sousa, L. 435(P), 436(P)
 Diaz, R. 446-447(P)
 Duncan, E.J. 4
 (Tribute to Dennis Adams)
 Dyer, A. 350-355, 369-370



Eastwood, A. 411-412
 Esteves, L.M. 147-166
 Estrelles, E. 428(P), 433(P)



Felippe, G.M. 147-166
 Figueiredo, E. 191-193



Gibby, M. 344-349, 369-370,
 411-412, 448(P),
 449(P), 464(A)
 Given, D. 269-277
 Golding, J. 313-318
 Greer, L. D. 388-392
 Grund, S. 290-294
 Gureyeva, I.I. 319-323



Hamilton, A.C. 413-416
 Harris, D. 434(P)
 Hegde, S. 435(P), 436(P)
 Herrero, A. 438 (P)
 Hilton-Taylor, C. 462(A), 469(A)
 Holderegger, R. 465(A)
 Hollowell, T. 429(P)
 Humphries, C. 468(A)
 Huxley, R. 10

(Tribute to Dennis Adams)



Ibars, A.M. 428(P), 433(P)
 Irudayaraj, V. 177-190



James, C. 464 (A)
 Jermy, A.C. 267-268, 417-424,
 449(P)
 Jia, J.-S. 383-387
 Jiménez, B. 123

(Author of book reviewed)

444(P)
 Johns, R.J. 463(A)



Kingston, N. 404-410
 Knapp, S. 8, 123

(Author of Book reviewed)

444(P)
 Kozzłowski, G. 465(A)
 Krippel, Y. 453 (P)
 Kung, H.-S. 195-199



| | |
|------------------------------|-----------------|
| Landergott, U. | 465(A) |
| Landsdown, R.V. | 437 (P) |
| Lawrence, G. | 388-392 |
| Lawson, G.W. | 2 |
| (tribute to C. Dennis Adams) | |
| Lindsay, S. | 350-355, 470(A) |
| Lockton, A. | 449(P) |
| Lubienski, M. | 143-145 |
| Lusby, P. | 350-355 |
| Lynn, D. | 456-457(P) |



| | |
|---------------------------|-----------------|
| Marin, G. | 123 |
| (Author of book reviewed) | |
| | 444(P) |
| Martin, J. | 456-457(P) |
| Mehlreter, K. | 398-403, 441(P) |
| Moran R.C. (Ed.) | 238 |
| (Editor of book reviewed) | |
| Morgans-Richards, M. | 464 (A) |
| Mundy, N.I. | 125-142 |
| Murphy, R. | 245-251 |
| Musselman, L.J. | 324-329 |



| | |
|-------------------|------------------------------------|
| Page, C.N. | 284-289 |
| Pajarón, S. | 426(P), 438(P), 445(P) |
| Palacios-Rios, M. | 398-403, 439(P), 440(P), 441(P) |
| Pangua, E. | 426(P), 438(P), 445 (P) |
| Pankhurst, T.J. | 437 (P) |
| Parks, J.C. | 290-294 |
| Parris, B.S. | 201-2, 239-244 |
| Paul, A.M. | 442-443(P), 449(P) |
| Peña-Chocarro, M. | 123 (A), 444(P) |
| Pence, V.C. | 362-368 |
| Phillips, A. | 278-283 |
| Prado, C. | 209-212 |
| Prado, C. | 438(P) |



| | |
|-------------------|-------------------------------|
| Quintanilla, L.G. | 426(P), 445(P), 446-447(P) |
|-------------------|-------------------------------|



| | |
|----------------------------|------------|
| Ramirez, C. | 426 (P) |
| Ranker, T.A. | 417-424 |
| Rickard, M. | 146, 167 |
| (Author of books reviewed) | |
| Rodriguez, M.A. | 446-447(P) |
| Romero, M.I. | 446-447(P) |
| Rosser, A. | 434 (P) |

Rumsey, F.J. 146, 147, 194, 200
(Book reviews) 205-208, 245-251,
344-349, 448(P),
449(P), 464(A),
450 (P)

Rünk, K. 450 (P)

Russell, S.J. 448(P), 449(P)



| | |
|-----------------------|----------------|
| Sanchez, C. | 123 |
| (Book reviewer) | |
| Sanchez Velasquez, T. | 451(P), 452(P) |
| Schafer, H. | 213-237 |
| Schneller, J.J. | 465(A) |
| Schwenninger, J.-L. | 453(P) |
| Sheffield, E. | 377-382 |
| Simabukuro, E.A. | 147-166 |
| Simpson, K.A. | 449(P) |
| Smith, R.T. (Ed.) | 194 (E) |
| Sota, E.R. de la | 454 (P) |
| Stafford, P.J. | 205-208 |
| Stewart, N. | 466(A) |
| Suneetha, C. | 436(P) |
| Sylvestre, L.S. | 455(P) |



| | |
|-------------------|--------------|
| Takamiya, M. | 169-170 |
| Taylor J.A. (Ed.) | 194, 200 (E) |
| Trewick, S. | 464(A) |



| | |
|-------------|--|
| Viane, R. | 432 |
| Vogel, J.C. | 205-208 |
| Vogel, J.C. | 344-349, 411-412, 448(P), 449(P), 464 (A) |
| Vulcz, L. | 388-392 |
| Vulcz, R. | 388-392 |



| | |
|----------------|-----------------------|
| Waldren, S. | 404-410, 456-457(P) |
| Wardlaw, A.C. | 266, 356-361, 393-397 |
| Wilkinson, T. | 458 (P) |
| Windisch, P.G. | 295-300, 430, 455(P) |
| Wood, K.R. | 330-334 |



| | |
|-----------------|--------|
| Yesilyurt, J.C. | 459(P) |
|-----------------|--------|



| | |
|---------------|---------|
| Zenkteler, E. | 371-376 |
| Zhang, G.-M. | 383-387 |
| Zhang, L-B. | 195-199 |
| Zhang, X.-C. | 383-387 |